



US00D433050S

United States Patent [19]
Mitsui

[11] **Patent Number: Des. 433,050**

[45] **Date of Patent: ** Oct. 31, 2000**

[54] **PHOTO SENSOR FOR AN ILLUMINOMETER**

5,606,393 2/1997 Schoenherr et al. 356/225
6,005,659 12/1999 D'Alessandro et al. 356/213

[75] Inventor: **Sei Mitsui**, Fujiidera, Japan

[73] Assignee: **Minolta Co., Ltd.**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/104,905**

[22] Filed: **May 13, 1999**

[30] **Foreign Application Priority Data**

Nov. 13, 1998 [JP] Japan 10-32903

[51] **LOC (7) Cl.** **16-05**

[52] **U.S. Cl.** **D16/238; D16/237**

[58] **Field of Search** D10/78; D16/237,
D16/238, 239; 250/214 P; 356/213, 218,
224, 225; 396/213, 268-276, 57-59

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 174,162 3/1955 Crandel et al. D16/238
D. 185,885 8/1959 Kawa et al. D16/238
4,636,052 1/1987 Bowsher 396/57

OTHER PUBLICATIONS

Kabushiki Kaisha Creation Systems, "CLM-5000," found at Internet web site <http://www.c-systems.co.jp/light/clm5000.html> on Oct. 19, 1998.

Primary Examiner—Adir Aronovich
Attorney, Agent, or Firm—Burns, Doane, Swecker & Mathis, LLP

[57] **CLAIM**

The ornamental design for a photo sensor for an illuminometer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective of a photo sensor for an illuminometer showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 4 Drawing Sheets



Fig. 1



Fig.2




Fig.3



Fig.4



Fig.5




Fig. 6




Fig. 7

