



US00D433060S

# United States Patent [19] Davies

[11] Patent Number: **Des. 433,060**

[45] Date of Patent: **\*\* Oct. 31, 2000**

[54] **COLOR CUBE MODEL**

[76] Inventor: **Kenneth William Davies**, 603 - 1st Street, New Westminster, British Columbia, Canada, V3L 2H3

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/063,255**

[22] Filed: **Dec. 3, 1996**

[51] **LOC (7) Cl.** ..... **19-07**

[52] **U.S. Cl.** ..... **D19/62; D19/59; D19/35**

[58] **Field of Search** ..... D19/35, 36, 59-64; D21/108; 273/157 R, 249, 155, 271; 434/98, 81, 211, 84, 259, 85, 403; 446/95, 126, 487; 403/170, 176, 217, 218, 263, 282; 40/447

### [56] **References Cited**

#### U.S. PATENT DOCUMENTS

D. 278,110	3/1985	Boland, II	.....	D21/108 X
D. 313,625	1/1991	Yan et al.	.....	D19/62
1,472,536	10/1923	Thomson	.....	434/403
1,597,830	8/1926	Rueger	.....	434/98 X
2,184,125	12/1939	Patterson	.....	434/104
2,429,027	10/1947	Myers	.....	434/403
2,570,625	10/1951	Zimmerman et al.	.....	434/403 X
3,222,072	12/1965	Dreyer	.....	273/157 R
3,414,264	12/1968	Schriber	.....	273/249
3,474,546	10/1969	Wedlake	.....	434/98
3,487,578	1/1970	Sudermann	.....	446/487
3,690,671	9/1972	Slutsky	.....	273/153 R
3,751,829	8/1973	Foss	.....	434/98
4,009,527	3/1977	Scott et al.	.....	434/98
4,271,628	6/1981	Barlow	.....	446/126
4,326,354	4/1982	Hagberg	.....	446/126
4,892,484	1/1990	Brown et al.	.....	434/259
5,415,413	5/1995	Morinich	.....	273/271
5,634,795	6/1997	Davies	.....	434/98

#### OTHER PUBLICATIONS

Hendrickson, "Positional Color Coding—A Color Identification System That Combines Color and Intensity", *Information Display*, vol. 11, No. 6, Jun. 1975, pp. 22-25.

*Primary Examiner*—Martie K. Holtje

*Attorney, Agent, or Firm*—Oyen Wiggs Green & Mutala

### [57] **CLAIM**

The ornamental design for a color cube model, as shown and described.

### **DESCRIPTION**

FIG. 1 is an isometric view of a first embodiment of the invention.

FIG. 2 is an elevational view of the embodiment illustrated in FIG. 1, the front, rear, left side, right side, top and bottom elevational views being identical.

FIG. 3 is an isometric view of a second embodiment of the invention.

FIG. 4 is an elevational view of the embodiment illustrated in FIG. 3, the front, rear, left side, right side, top and bottom elevational views being identical.

FIG. 5 is an isometric view of a third embodiment of the invention.

FIG. 6 is an elevational view of the embodiment illustrated in FIG. 5, the front, rear, left side, right side, top and bottom elevational views being identical.

FIG. 7 is an isometric view of a fourth embodiment of the invention.

FIG. 8 is an elevational view of the embodiment illustrated in FIG. 7, the front, rear, left side, right side, top and bottom elevational views being identical.

FIG. 9 is an isometric view of a fifth embodiment of the invention.

FIG. 10 is an elevational view of the embodiment illustrated in FIG. 9, the front, rear, left side, right side, top and bottom elevational views being identical.


FIG. 11 is an isometric view of a sixth embodiment of the invention.

FIG. 12 is an elevational view of the embodiment illustrated in FIG. 11, the front, rear, left side, right side, top and bottom elevational views being identical.


FIG. 13 is an isometric view of a seventh embodiment of the invention; and,

FIG. 14 is an elevational view of the embodiment illustrated in FIG. 13, the front, rear, left side, right side, top and bottom elevational views being identical.


**1 Claim, 14 Drawing Sheets**



*FIG. 1*



*FIG. 2*





*FIG. 3*





FIG. 4



*FIG. 5*








FIG. 6




*FIG. 7*





*FIG. 8*



*FIG. 9*





FIG. 10





*FIG. 11*




FIG. 12






Figure 13






Figure 14

