



US00D433091S

United States Patent [19]
Carey et al.

[11] **Patent Number: Des. 433,091**

[45] **Date of Patent: ** Oct. 31, 2000**

[54] **VOLATILE DISPENSER**

[75] Inventors: **Michael R. Carey**, Mount Pleasant, Wis.; **Vincent H. Bowman**, Evanston, Ill.; **Renata E. McLean**, Schaumburg, Ill.; **Tracy A. Bacilek**, NorthBrook, Ill.; **Aaron B. Eiger**, Chicago, Ill.

[73] Assignee: **S. C. Johnson & Son, Inc.**, Racine, Wis.

[**] Term: **14 Years**

[21] Appl. No.: **29/109,209**

[22] Filed: **Aug. 11, 1999**

[51] **LOC (7) Cl.** **22-06**

[52] **U.S. Cl.** **D22/122; D23/355**

[58] **Field of Search** **D22/119, 120, D22/122; 43/58, 60, 107, 121, 124, 125, 132.1, 144; D23/355**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 157,798 3/1950 Slatkin D22/120

D. 329,681 9/1992 Demarest et al. D22/122
D. 347,675 6/1994 Demarest et al. D22/119
D. 357,859 5/1995 Klapwald D9/429
D. 404,459 1/1999 Furner et al. D22/122
D. 410,724 6/1999 Robles et al. D22/122

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—Inga-Maria Hyttinen

[57] **CLAIM**

The ornamental design for a volatile dispenser, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view, from above and to one side, of a volatile dispenser showing the new design.

FIG. 2 is a front elevational view of the volatile dispenser of FIG. 1, the back, left, and right elevational views being identical thereto.

FIG. 3 is a top plan view of the volatile dispenser of FIG. 1; and,

FIG. 4 is a bottom plan view of the volatile dispenser of FIG. 1.

1 Claim, 2 Drawing Sheets





Fig. 1




Fig. 2



Fig. 3




Fig. 4.