



US00D433198S

United States Patent [19] Chen

[11] Patent Number: Des. 433,198

[45] Date of Patent: ** Oct. 31, 2000

[54] KNEE PAD

[75] Inventor: Chih-Cherng Chen, Taipei, Taiwan

[73] Assignee: ASICS Corporation, Kobe, Japan

[**] Term: 14 Years

[21] Appl. No.: 29/101,948

[22] Filed: Mar. 15, 1999

[51] LOC (7) Cl. 29-02

[52] U.S. Cl. D29/121

[58] Field of Search D29/100, 101,
D29/120-122; D2/858, 712; 2/16, 21-24,
62, 158, 161.6, 267; 5/417-420; D24/190

4,700,698	10/1987	Kleylein .
4,723,322	2/1988	Shelby .
4,796,303	1/1989	Atwater .
4,846,819	7/1989	Welch .
4,870,956	10/1989	Fatool et al. .
5,077,837	1/1992	Meistrell .
5,105,473	4/1992	Valtakari .
5,267,951	12/1993	Ishii D24/190 X
5,306,229	4/1994	Brandt et al. .
5,411,037	5/1995	Hess et al. .
5,474,524	12/1995	Carey .
5,680,657	10/1997	Valtakari .
5,683,286	11/1997	Kielland .
5,685,021	11/1997	Tsujino .
5,695,452	12/1997	Grim et al. .
5,769,809	6/1998	Witzel .

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 255,728 7/1980 Baron D29/121
- D. 259,058 4/1981 Marshall D24/190
- D. 327,961 7/1992 Decker .
- D. 341,005 11/1993 Pratt .
- D. 341,229 11/1993 Tsujino .
- D. 341,679 11/1993 Levine D29/121
- D. 343,480 1/1994 Levine D29/121
- D. 347,301 5/1994 Levine D29/121
- D. 360,284 7/1995 Paffett et al. .
- D. 360,285 7/1995 Paffett et al. .
- D. 360,286 7/1995 Paffett et al. .
- D. 360,287 7/1995 Paffett et al. .
- D. 362,087 9/1995 Anson D29/120
- D. 363,147 10/1995 Chen .
- D. 394,332 5/1998 Tsujino .
- D. 394,333 5/1998 Tsujino .
- 2,641,761 6/1953 Schultz .
- 3,044,075 7/1962 Rawlings .
- 3,322,873 5/1967 Hitchcock .
- 3,670,725 6/1972 Gaylord, Jr. .
- 4,250,578 2/1981 Barlow .
- 4,287,885 9/1981 Applegate .
- 4,354,280 10/1982 Hayes .
- 4,484,361 11/1984 Leighton et al. .
- 4,573,216 3/1986 Wortberg .

Primary Examiner—Doris Clark
Assistant Examiner—Robert A. Delehanty
Attorney, Agent, or Firm—Michael Zall

[57] **CLAIM**

I claim the ornamental design for the knee pad, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view from the right side showing my new kneepad design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a right side view thereof, with the left side view being identical thereto;
 FIG. 4 is a back view thereof;
 FIG. 5 is a top view thereof; and,
 FIG. 6 is a bottom view thereof.

The fragmentary criss-cross pattern shown in the drawing is understood to represent fabric and is repeated uniformly throughout the areas shown.

The broken line shown on the knee pad in the drawing is understood to represent stitching.

The broken line showing of portion of a human leg is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 3




FIG. 2




FIG. 5




FIG. 6




FIG. 4

