



US00D433306S

United States Patent [19]
Pfeiffer

[11] **Patent Number: Des. 433,306**

[45] **Date of Patent: ** Nov. 7, 2000**

[54] **SURFACE CONFIGURATION FOR A SEAT
BACK RELEASE HANDLE FOR A VEHICLE**

5,988,758 11/1999 Heintzelman et al. 297/483
6,045,186 4/2000 Butt et al. 297/483

[75] Inventor: **Peter Pfeiffer**, Böblingen, Germany

Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—Evenson, McKeown, Edwards &
Lenahan, P.L.L.C.

[73] Assignee: **DaimlerChrysler AG**, Stuttgart,
Germany

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/110,625**

The ornamental design for a surface configuration for a seat
back release handle for a vehicle, as shown and described.

[22] Filed: **Sep. 10, 1999**

DESCRIPTION

[30] **Foreign Application Priority Data**

Mar. 10, 1999 [DE] Germany 4 99 02 484

FIG. 1 is a perspective view of a surface configuration for a
seat back release handle for a vehicle according to my novel
design;

[51] **LOC (7) Cl.** **08-06**

FIG. 2 is a rear view of the surface configuration for a seat
back release handle for a vehicle according to my novel
design;

[52] **U.S. Cl.** **D8/302; D8/300**

FIG. 3 is a top view of the surface configuration for a seat
back release handle for a vehicle according to my novel
design;

[58] **Field of Search** D8/300, 301, 302,
D8/356, 358; D2/624, 639; 297/378.12,
378.1, 463.1, 474, 481, 482, 483

FIG. 4 is a front view of the surface configuration for a seat
back release handle for a vehicle according to my novel
design; and,


[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 369,012 4/1996 Cone, II D2/639
4,786,109 11/1988 Ioya 297/463.1
5,088,794 2/1992 Iwami et al. 297/483
5,328,243 7/1994 Akiyama 297/378.12
5,609,396 3/1997 Loxton et al. 297/483

FIG. 5 is a right side view of the surface configuration for
a seat back release handle for a vehicle according to my
novel design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5