



US00D433380S

United States Patent [19]

Dow et al.

[11] Patent Number: Des. 433,380

[45] Date of Patent: ** Nov. 7, 2000

[54] BATTERY COVER FOR HAND HELD APPARATUS SUCH AS AN OPTICAL SCANNER

6,043,503 3/2000 Dow et al. 250/566

Primary Examiner—Joel Sincavage

[75] Inventors: James C. Dow; Thomas E. Berg; David J. Sims; Modest Khovaylo, all of Fort Collins, Colo.; Scott Henderson, Brooklyn, N.Y.; Davin Stowell; Steven Vordenberg, both of New York, N.Y.; Daniel Formosa, Montvale, N.J.

[57] CLAIM

The ornamental design for a battery cover for hand held apparatus such as an optical scanner, as shown and described.

[73] Assignee: Hewlett-Packard Company, Palo Alto, Calif.

DESCRIPTION

[**] Term: 14 Years

FIG. 1 is a top front perspective view of a first embodiment of a battery cover for hand held apparatus such as an optical scanner showing our new design;

[21] Appl. No.: 29/113,552

FIG. 2 is a top rear perspective view of the first embodiment; FIG. 3 is a bottom front perspective view of the first embodiment;

[22] Filed: Nov. 5, 1999

FIG. 4 is a bottom rear perspective view of the first embodiment;

Related U.S. Application Data

[62] Division of application No. 29/090,614, Jul. 13, 1998, Pat. No. Des. 421,418.

FIG. 5 is a front elevation view of the first embodiment;

[51] LOC (7) Cl. 13-02

FIG. 6 is a rear elevation view of the first embodiment;

[52] U.S. Cl. D13/119

FIG. 7 is a right side elevation view of the first embodiment; FIG. 8 is a left side elevation view of the first embodiment;

[58] Field of Search D13/119; D14/426; 429/175; 250/208.1; 235/472.01

FIG. 9 is a top plan view of the first embodiment; FIG. 10 is a bottom plan view of the first embodiment; The broken line showing in FIGS. 1-10 is included for the purpose of illustrating environmental structure only and forms no part of the first embodiment.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 328,157	7/1992	Lazarchik et al.	D28/49
D. 350,735	9/1994	Karlin et al.	D14/114
D. 372,234	7/1996	LaManna et al.	D14/116
D. 389,158	1/1998	Oross	D14/250
D. 405,800	2/1999	Brown	D14/250
D. 420,344	2/2000	Dow et al.	D14/428
5,762,512	6/1998	Trant et al.	439/347
5,763,865	6/1998	Swift et al.	235/472
5,805,416	9/1998	Friend et al.	361/686

FIG. 11 is a top front perspective view of a second embodiment of a battery cover for hand held apparatus such as an optical scanner showing our new design;


FIG. 12 is a top rear perspective view of the second embodiment;

FIG. 13 is a front elevation view of the second embodiment; and,

FIG. 14 is a top plan view of the second embodiment.

The broken line showing in FIGS. 11-14 is included for the purpose of illustrating environmental structure only and forms no part of the second embodiment.

1 Claim, 13 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14