



US00D433706S

United States Patent [19] Panda

[11] Patent Number: Des. 433,706

[45] Date of Patent: ** Nov. 14, 2000

[54] **TIP FOR CORRECTION FLUID APPLICATOR**

[75] Inventor: **Aparajit Panda**, Westborough, Mass.

[73] Assignee: **The Gillette Company**, Boston, Mass.

[**] Term: **14 Years**

[21] Appl. No.: **29/087,050**

[22] Filed: **Apr. 23, 1998**

[51] **LOC (7) Cl.** **19-06**

[52] **U.S. Cl.** **D19/55**

[58] **Field of Search** D19/35, 36, 41-51, D19/53, 54-58, 81-85; 401/196, 202, 260, 261, 262, 266; D4/114, 137; D9/338

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 291,373	8/1987	Korper	D19/51	X
D. 291,374	8/1987	Korper	D19/51	X
D. 389,965	1/1998	Saladino	D19/49	X
720,051	2/1903	Moss	.		
933,938	9/1909	Windle et al.	.		
1,094,138	4/1914	Feneley	401/264	
1,828,485	10/1931	Allen	.		
2,282,406	5/1942	Hollenbeck	.		
2,409,933	10/1946	Fleisher et al.	.		
2,453,201	11/1948	Cushman	.		
3,134,124	5/1964	Horn	.		
3,568,236	3/1971	Aston	.		
3,684,389	8/1972	Eron et al.	.		
4,208,145	6/1980	Azuma	.		
4,496,258	1/1985	Tanaka et al.	.		
4,509,540	4/1985	Inagaki	.		
4,712,266	12/1987	Yamaki	.		
4,712,571	12/1987	Remz et al.	.		
4,747,419	5/1988	Flynn et al.	.		
4,749,618	6/1988	Kawaguchi et al.	.		
4,792,252	12/1988	Kremer et al.	.		
4,812,071	3/1989	Batra et al.	.		
4,813,463	3/1989	Lin	.		
4,824,271	4/1989	Nagahama et al.	.		
4,848,947	7/1989	Kremer et al.	.		
4,913,175	4/1990	Yokosuka et al.	.		
4,923,317	5/1990	Bishop et al.	.		
4,960,340	10/1990	Tamiya et al.	.		
4,984,923	1/1991	Ota	.		

5,001,803	3/1991	Discko, Jr.	.
5,035,524	7/1991	Sakurai	.
5,073,058	12/1991	Fukuoka et al.	.
5,082,386	1/1992	Hironaka et al.	.
5,096,322	3/1992	Shiga et al.	.
5,199,976	4/1993	Yau et al.	.
5,299,877	4/1994	Birden	.
5,306,755	4/1994	Yau et al.	.
5,387,046	2/1995	Danno	.
5,411,345	5/1995	Ueji et al.	.
5,480,250	1/1996	Birden	.

FOREIGN PATENT DOCUMENTS

0 053 573 A1	10/1981	European Pat. Off.	.
0 119 506	2/1984	European Pat. Off.	.
641045	9/1927	France	.
682638	10/1929	France	.
1269178	6/1960	France	.
3024-381	6/1980	Germany	.
3303-341	8/1984	Germany	.
0102100	4/1990	Japan	.
18586	8/1914	United Kingdom	.
775009	5/1957	United Kingdom	.
907102	10/1962	United Kingdom	.
2 169 562	7/1986	United Kingdom	.
2 216 785	10/1989	United Kingdom	.
2 231 490	11/1990	United Kingdom	.
WO 92/12863	8/1992	WIPO	.
WO 97/21554	6/1997	WIPO	.

Primary Examiner—Martie K. Holtje
Attorney, Agent, or Firm—Fish & Richardson P.C.


[57] **CLAIM**

The ornamental design for a tip for correction fluid applicator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tip for a correction fluid applicator showing my new design; FIG. 2 is a front plan view of the tip of FIG. 1; FIG. 3 is a rear plan view of the tip of FIG. 1; FIG. 4 is a first side plan view of the tip of FIG. 1; FIG. 5 is an opposite side plan view of the tip of FIG. 4; and, FIG. 6 is a bottom plan view of the tip of FIG. 1. The broken lines showing of the stem and cap of an applicator for a correction fluid are for illustrative purposes and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 6




FIG. 2




FIG. 3




FIG. 4




FIG. 5