



US00D433922S

United States Patent [19]
Hatada et al.

[11] **Patent Number: Des. 433,922**
[45] **Date of Patent: ** Nov. 21, 2000**

[54] **ELECTRONIC KEY**

[76] Inventors: **Akinobu Hatada**, 3-9-20-102,
Takanawa, Minato-ku, Tokyo 108-0074,
Japan; **Toku Mitsuboshi**, 5-13-9-901
Roppongi, Minato-ku, Tokyo 106-0032,
Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/117,508**

[22] Filed: **Jan. 28, 2000**

[51] **LOC (7) Cl. 08-07**

[52] **U.S. Cl. D8/347**

[58] **Field of Search D8/347, 348; 70/278.3,**
70/393, 395-399, 402-408, 344, 345, 413

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 228,733	10/1973	Parkins et al.	D8/347
D. 331,301	11/1992	Say	D8/348 X
D. 332,045	12/1992	Moore	D8/347
D. 343,783	2/1994	Zaugg et al.	D8/347
D. 353,760	12/1994	Eizen	D8/347
3,486,355	12/1969	Halfyard	70/398 X
4,841,758	6/1989	Ramblier	70/413
5,605,067	2/1997	Juan	70/413

OTHER PUBLICATIONS

1115BL Mosler, Ilco Key Blanks Catalog 60R, p. S3, 1984.
P1098J, Ilco Key Blanks Catalog 60R, p. 42. 1984.
T44, Ilco Key Blanks Catalog 60R, p. 100, 1984.
999N Ilco Key Blanks Catalog 60R, p. 84, 1984.

Primary Examiner—Susan J. Lucas

Assistant Examiner—Jennifer Rivard
Attorney, Agent, or Firm—Arent Fox Kitner Plotkin & Kahn
PLLC

[57] **CLAIM**

The ornamental design for an electronic key, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of the electronic key, showing
the first embodiment.
FIG. 2 is a front view of the electronic key.
FIG. 3 is a top view of the electronic key.
FIG. 4 is a right side view of the electronic key.
FIG. 5 is a bottom plan view of the electronic key.
FIG. 6 is a left side view of the electronic key.
FIG. 7 is a rear view of the electronic key.
FIG. 8 is a perspective view of the electronic key, showing
the second embodiment.
FIG. 9 is a front view of the electronic key.
FIG. 10 is a top view of the electronic key.
FIG. 11 is a right side view of the electronic key.
FIG. 12 is a bottom plan view of the electronic key.
FIG. 13 is a left side view of the electronic key.
FIG. 14 is a rear view of the electronic key.
FIG. 15 is a perspective view of the electronic key, showing
the third embodiment.
FIG. 16 is a front view of the electronic key.
FIG. 17 is a top view of the electronic key.
FIG. 18 is a right side view of the electronic key.
FIG. 19 is a bottom plan view of the electronic key.
FIG. 20 is a left side view of the electronic key; and,
FIG. 21 is a rear view of the electronic key.

1 Claim, 9 Drawing Sheets




Fig. 1




Fig.3



Fig.2




Fig.4




Fig.5




Fig.6




Fig.7




Fig. 8




Fig. 10



Fig. 9




Fig. 11



Fig. 12




Fig. 13



Fig. 14




Fig. 15




Fig. 17



Fig. 16




Fig. 18




Fig. 19



Fig. 20




Fig. 21

