



US00D434021S

United States Patent [19] Brewer

[11] Patent Number: **Des. 434,021**

[45] Date of Patent: **** Nov. 21, 2000**

[54] **TELEPHONE WITH SECUREMENT MOUNT**

[75] Inventor: **Mathew Joshua Brewer**, Cincinnati, Ohio

[73] Assignee: **Thomson Licensing, S.A.**, Boulogne, France

[**] Term: **14 Years**

[21] Appl. No.: **29/108,299**

[22] Filed: **Jul. 23, 1999**

[51] **LOC (7) Cl.** **14-03**

[52] **U.S. Cl.** **D14/147; D14/253**

[58] **Field of Search** D14/137, 138, D14/147-148, 247-248, 250, 240, 140-142; 379/433.434, 419, 420, 428, 440; 455/550-575, 90; 343/702; D8/367

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|-----------------|-------|-----------|
| D. 188,539 | 8/1960 | Dehloff | | D14/253 |
| D. 190,810 | 7/1961 | Dreyfuss et al. | | D14/147 |
| D. 207,403 | 4/1967 | Schalko | | D14/253 |
| D. 236,213 | 8/1975 | Paterson | | D14/253 |
| D. 241,144 | 8/1976 | Davis | | D14/253 |
| D. 285,790 | 9/1986 | Harrison et al. | | D14/148 |
| D. 300,743 | 4/1989 | Zaugg et al. | | D14/147 |
| D. 317,561 | 6/1991 | Stubbings | | D8/367 |
| D. 344,010 | 2/1994 | Brazis | | D8/367 |
| D. 353,375 | 12/1994 | Marquez | | D14/149 |
| D. 373,124 | 8/1996 | Behar et al. | | D14/148 |
| D. 374,875 | 10/1996 | Graves | | D14/248 |
| D. 386,389 | 11/1997 | Hofman | | D8/367 |
| D. 401,578 | 11/1998 | Lytel | | D14/147 |
| D. 405,787 | 2/1999 | Renk | | D14/147 |
| D. 408,816 | 4/1999 | Richez | | D14/148 |
| D. 410,647 | 6/1999 | Lytel | | D14/147 |
| D. 417,385 | 12/1999 | Bries et al. | | D8/367 |
| 5,650,788 | 7/1997 | Jha | | 343/702 X |

Primary Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Joseph S. Tripoli; Robert D. Shedd; Frederick A. Wein

[57] **CLAIM**

The ornamental design for a telephone with securement mount, substantially as shown and described.

DESCRIPTION

FIG. 1 is an angled front view of the telephone mounted to a securement mount.

FIG. 2 is a front view of the telephone mounted to a securement mount.

FIG. 3 is a side view of the telephone mounted to a securement mount.

FIG. 4 is a top view of the telephone mounted to a securement mount.

FIG. 5 is a bottom view of the telephone mounted to a securement mount.

FIG. 6 is an angled rear view of the telephone with the securement mount omitted for convenience of illustration.

FIG. 7 is a view with the telephone shown removed from the securement mount showing the front of the securement mount and the rear of the telephone.


FIG. 8 is a view with the telephone shown removed from the securement mount showing the rear of the securement mount and the front of the telephone. The broken lines, which form no part of the claimed design, are meant to indicate that the rear of the securement mount is not a part of the claimed design.

FIG. 9 is a view with the telephone shown removed from the securement mount showing the left side of the securement mount and the right side of the telephone.

FIG. 10 is a view with the telephone shown removed from the securement mount showing the top of the securement mount and the top of the telephone; and,

FIG. 11 is a view with the telephone shown removed from the securement mount showing the bottom of the securement mount and the bottom of the telephone.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11