



US00D434485S

**United States Patent** [19]  
**Furner**

[11] **Patent Number: Des. 434,485**  
[45] **Date of Patent: \*\* Nov. 28, 2000**

[54] **DUAL CAPACITY DISPENSER**  
[75] Inventor: **Paul E. Furner**, Caledonia, Wis.  
[73] Assignee: **S. C. Johnson & Son, Inc.**, Racine, Wis.  
[\*\*] Term: **14 Years**  
[21] Appl. No.: **29/109,096**  
[22] Filed: **Aug. 10, 1999**  
[51] **LOC (7) Cl.** ..... **23-04**  
[52] **U.S. Cl.** ..... **D23/366**  
[58] **Field of Search** ..... D23/366-369;  
261/DIG. 65; 239/57-59, 60; 422/121,  
120, 305; 222/180, 645-648

4,220,281 9/1980 Martens, III et al. .  
4,660,763 4/1987 Gutkowski et al. .  
4,726,519 2/1988 Muoio .  
4,739,928 4/1988 O'Neil .  
5,358,147 10/1994 Adams et al. .  
5,862,960 1/1999 Miller et al. .

*Primary Examiner*—Lisa Lichtenstein

[57] **CLAIM**


The ornamental design of a dual capacity dispenser, as shown and described.

**DESCRIPTION**

FIG. 1 is a ¾ perspective view of the dual capacity dispenser showing my new design.  
FIG. 2 is a left side view of the dispenser of FIG. 1.  
FIG. 3 is a right side view of the dispenser of FIG. 1.  
FIG. 4 is a front view of the dispenser of FIG. 1.  
FIG. 5 is a rear view of the dispenser of FIG. 1.  
FIG. 6 is a top view of the dispenser of FIG. 1; and, FIG. 7 is a bottom view of the dispenser of FIG. 1.

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
D. 373,627 9/1996 Specht ..... D23/366  
D. 373,822 9/1996 Leonard et al. .... D23/366  
4,219,145 8/1980 Jaeschke et al. .... D23/239

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7