



US00D434809S

# United States Patent [19]

[11] Patent Number: **Des. 434,809**

Katsuragi et al.

[45] Date of Patent: **\*\* Dec. 5, 2000**

[54] **TARGET BOARD FOR BEANBAG THROWING GAME**

3,411,784 11/1968 Lawrence ..... 273/388  
4,588,194 5/1986 Steidle et al. .... 273/391  
4,726,593 2/1988 Wade ..... 273/407 X

[76] Inventors: **Youjiro Katsuragi; Shikimi Katsuragi**, both of 8-26, Waseda 2-chome, Ushida, Higashi-ku, Hiroshima-shi, Hiroshima-ken, Japan

*Primary Examiner*—Prabhakar Deshmukh  
*Attorney, Agent, or Firm*—Armstrong, Westerman, Hattori, McLeland & Naughton

[\*\*] Term: **14 Years**

### [57] CLAIM

[21] Appl. No.: **29/116,507**

The ornamental design for a target board for beanbag throwing game, as shown and described.

[22] Filed: **Jan. 6, 2000**

### DESCRIPTION

### [30] Foreign Application Priority Data

Jul. 7, 1999 [JP] Japan ..... 11-18277

[51] **LOC (7) Cl.** ..... **21-01**

[52] **U.S. Cl.** ..... **D21/304**

[58] **Field of Search** ..... D21/302, 303,  
D21/304, 333, 387; 273/336–339, 407,  
386–392, 317, 348, 398, 402

FIG. 1 is a perspective view of a target board for beanbag throwing game showing our new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a left side elevational view thereof; the right side elevational view being a mirror image thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a rear elevational view thereof; and,  
FIG. 7 is a sectional view thereof; taken along line 7—7 of FIG. 3.

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 173,641 12/1954 Coleman ..... D21/304  
D. 220,710 5/1971 Stricklin ..... D21/304  
D. 285,811 9/1986 Donahoe ..... D21/304  
D. 288,828 3/1987 Romestan et al. .... D21/304  
411,221 9/1889 Gooch ..... 273/338  
3,232,285 2/1966 Rasner ..... D21/304 X

In particular the novel and distinctive features of the said design include a generally oblong body portion, perpendicular to a generally rectangular base, and having a plurality of generally oblong semi-circular apertures having generally perpendicular flat oblong elements which extend outward from the base of each aperture.

**1 Claim, 3 Drawing Sheets**




FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.7




FIG.6

