



US00D435019S

United States Patent [19]

[11] **Patent Number: Des. 435,019**

Lewis

[45] **Date of Patent: ** Dec. 12, 2000**

[54] **SURGE AND LIGHTNING SUPPRESSOR WITH FAULT LAMP INDICATORS**

D. 371,113	6/1996	Hubbell et al.	D13/160
D. 390,190	2/1998	Stekelenburg	D13/160
5,335,160	8/1994	Savoca	361/601
5,359,657	10/1994	Pelegris	361/119

[76] Inventor: **Joseph S. Lewis**, Tularosa Post Office
360 Central Ave., Tularosa, N. Mex.
88352

Primary Examiner—Adir Aronovich

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/078,174**

The ornamental design for a surge and lightning suppressor with fault lamp indicators, as shown and described.

[22] Filed: **Oct. 20, 1997**

DESCRIPTION

[51] **LOC (7) Cl.** **13-03**

[52] **U.S. Cl.** **D13/160; D13/155**

[58] **Field of Search** D13/160, 178,
D13/152, 155; 361/600, 601, 119

FIG. 1 is a perspective front view of a Surge and Lightning Suppressor, showing my new design.

FIG. 2 is a perspective side view, the opposite side being a mirror image thereof; and,


FIG. 3 is a back view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 47,985 10/1915 Bissell D13/152

1 Claim, 1 Drawing Sheet






FIG. 1




FIG. 2




FIG. 3