



US00D435453S

United States Patent [19]

[11] Patent Number: Des. 435,453

Krishnakumar et al.

[45] Date of Patent: ** Dec. 26, 2000

[54] BOTTLE

[75] Inventors: Suppayan M. Krishnakumar, Nashua; David P. Piccioli, Auburn, both of N.H.; Robert G. Di Canio, Naperville, Ill.; Jeff Lichtman, Evanston, Ill.; Jeffrey L. Pattee, Palatine, Ill.; Christopher D. Rowe, Barrington, Ill.; Tia-Maria Smith, Chicago, Ill.

[73] Assignee: Stokely-Van Camp, Inc., Chicago, Ill.

[**] Term: 14 Years

[21] Appl. No.: 29/078,533

[22] Filed: Oct. 28, 1997

[51] LOC (7) Cl. 09-01

[52] U.S. Cl. D9/537

[58] Field of Search D9/520, 537, 540, D9/550, 551, 553, 570, 434, 516; 215/381, 383, 384

D. 379,306	5/1997	Peykoff	D9/502
D. 382,485	8/1997	Krishnakumar et al. .	
D. 382,807	8/1997	Silvers et al. .	
D. 394,812	6/1998	Crawford .	
D. 396,413	7/1998	Duboff	D9/539
D. 396,640	8/1998	Conrad et al.	D9/502
D. 397,297	8/1998	Yang	D9/523
D. 397,616	9/1998	Chen .	
D. 397,941	9/1998	Lauth	D9/502
D. 398,479	9/1998	Vultaggio et al. .	
D. 401,860	12/1998	Granelli	D9/538
4,863,046	9/1989	Collette et al.	215/1 C
4,907,709	3/1990	Abe et al. .	
4,993,565	2/1991	Ota et al. .	
5,002,199	3/1991	Frahm .	
5,005,716	4/1991	Eberle	215/1 C
5,024,341	6/1991	Dekerle	215/11.1
5,064,081	11/1991	Hayashi et al.	215/1 C
5,141,120	8/1992	Brown et al. .	
5,141,121	8/1992	Brown et al. .	
5,178,289	1/1993	Krishnakumar et al.	215/1 C
5,178,290	1/1993	Ota et al. .	
5,303,833	4/1994	Hayashi et al.	215/1 C
5,385,250	1/1995	Pasquale	215/1 C
5,472,105	12/1995	Krishnakumar et al. .	
5,579,937	12/1996	Valyi	215/384
5,632,397	5/1997	Fandoux et al. .	
5,635,229	6/1997	Ray .	
5,704,503	1/1998	Krishnakumar et al.	215/381
5,746,339	5/1998	Petre et al.	215/383
5,758,790	6/1998	Ewing, Jr.	215/384
5,836,469	11/1998	Zebrowski	215/384
5,971,184	10/1999	Krishnakumar et al.	215/384

[56] References Cited

U.S. PATENT DOCUMENTS

D. 64,152	3/1924	Sweeney .	
D. 154,563	7/1949	Peters	D9/551
D. 214,158	5/1969	Pettengill	D9/100
D. 218,019	7/1970	Lattraye et al.	D9/73
D. 235,736	7/1975	Strand et al.	D9/111
D. 269,500	6/1983	Bit	D9/350
D. 294,117	2/1988	Rogler et al.	D9/390
D. 294,463	3/1988	Lang	D9/392
D. 294,678	3/1988	Papa	D9/392
D. 295,381	4/1988	Papa	D9/392
D. 300,805	4/1989	Rogler et al.	D9/520
D. 306,262	2/1990	Bit	D9/396
D. 313,747	1/1991	Martin .	
D. 313,930	1/1991	Martin .	
D. 320,154	9/1991	Alberghini et al. .	
D. 334,342	3/1993	Thompson	D9/502
D. 335,084	4/1993	Snyder	D9/502
D. 344,457	2/1994	Prevot et al.	D9/537
D. 345,693	4/1994	Edstrom .	
D. 348,606	7/1994	Edstrom .	
D. 352,245	11/1994	Krishnakumar et al. .	
D. 370,178	5/1996	Petre et al.	D9/520
D. 379,224	5/1997	McCallister et al.	D9/520

FOREIGN PATENT DOCUMENTS

1009146	1/1989	Japan .	
5553	2/1993	Philippines	D9/502

OTHER PUBLICATIONS

Oct. 11, 1997, pictures of bottles (Exhibit A).
Oct. 11, 1997, pictures of bottles (Exhibit B).

Primary Examiner—Dominic Simone

[57] CLAIM

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bottle showing our new design;

FIG. 2 is a front view of the bottle depicted in FIG. 1;




FIG. 3 is a side view of the bottle depicted in FIG. 2, representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 2;

FIG. 4 is a back view of the bottle depicted in FIG. 2, representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 2, said back view being opposite the front view depicted in FIG. 2;

FIG. 5 is a side view of the bottle depicted in FIG. 2, representing a partial rotation of the bottle about its vertical axis from the front view depicted in FIG. 2, said side view being opposite the side view depicted in FIG. 3;

FIG. 6 is a top view of the bottle depicted in FIG. 2;

FIG. 7 is a bottom view of the bottle depicted in FIG. 2;

FIG. 8 is a perspective view of a second embodiment of a bottle as depicted in FIG. 1;

FIG. 9 is a front view of the bottle depicted in FIG. 8;

FIG. 10 is a side view of the bottle depicted in FIG. 9, representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 9;

FIG. 11 is a back view of the bottle depicted in FIG. 9, representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 9; said back view being opposite the front view depicted in FIG. 9;

FIG. 12 is a side view of the bottle depicted in FIG. 9, representing a partial rotation of the bottle about its vertical axis from the front view depicted in FIG. 9, said side view being opposite the side view depicted in FIG. 10;

FIG. 13 is a top view of the bottle depicted in FIG. 9;

FIG. 14 is a bottom view of the bottle depicted in FIG. 9;

FIG. 15 is a perspective view of a third embodiment of a bottle as depicted in FIG. 1;

FIG. 16 is a front view of the bottle depicted in FIG. 15;

FIG. 17 is a side view of the bottle depicted in FIG. 16, representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 16;

FIG. 18 is a back view of the bottle depicted in FIG. 16, representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 16, said back view being opposite the front view depicted in FIG. 16;

FIG. 19 is a side view of the bottle depicted in FIG. 16, representing a partial rotation of the bottle about its vertical axis from the front view depicted in FIG. 16, said side view being opposite the side view depicted in FIG. 17;

FIG. 20 is a top view of the bottle depicted in FIG. 16;

FIG. 21 is a bottom view of the bottle depicted in FIG. 16;

FIG. 22 is a perspective view of a fourth embodiment of a bottle as depicted in FIG. 1;

FIG. 23 is a front view of the bottle depicted in FIG. 22;

FIG. 24 is a side view of the bottle depicted in FIG. 23, representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 23;

FIG. 25 is a back view of the bottle depicted in FIG. 23, representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 23; said back view being opposite the front view depicted in FIG. 23;

FIG. 26 is a side view of the bottle depicted in FIG. 23, representing a partial rotation of the bottle about its vertical axis from the front view depicted in FIG. 23, said side view being opposite the side view depicted in FIG. 24;

FIG. 27 is a top view of the bottle depicted in FIG. 23;

FIG. 28 is a bottom view of the bottle depicted in FIG. 23;

FIG. 29 is a perspective view of a fifth embodiment of a bottle as depicted in FIG. 1;

FIG. 30 is a front view of the bottle depicted in FIG. 29;

FIG. 31 is a side view of the bottle depicted in FIG. 30, representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 30;

FIG. 32 is a back view of the bottle depicted in FIG. 30, representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 30, said back view being opposite the front view depicted in FIG. 30;

FIG. 33 is a side view of the bottle depicted in FIG. 30, representing a partial rotation of the bottle about its vertical axis from the front view depicted in FIG. 30, said side view being opposite the side view depicted in FIG. 31;

FIG. 34 is a top view of the bottle depicted in FIG. 30; and,

FIG. 35 is a bottom view of the bottle depicted in FIG. 30.

The broken line environmental showing is for illustrative purposes only and does not form part of the claimed design.

1 Claim, 15 Drawing Sheets

FIG. 1




FIG. 6




FIG. 7




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 8




FIG. 13




FIG. 14




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 15




FIG. 20




FIG. 21



FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 22




FIG. 27




FIG. 28




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 29




FIG. 34




FIG. 35




FIG. 30




FIG. 31




FIG. 32




FIG. 33

