



US00D435522S

United States Patent [19]

Ohlwine et al.

[11] **Patent Number: Des. 435,522**

[45] **Date of Patent: ** Dec. 26, 2000**

[54] **CONTROL DEVICE**

[75] Inventors: **Brian S. Ohlwine**, Zanesville, Ind.;
James B. Trevino, Liverpool, N.Y.

[73] Assignee: **Carrier Corporation**, Syracuse, N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **29/116,464**

[22] Filed: **Dec. 30, 1999**

[51] **LOC (7) Cl.** **13-03**

[52] **U.S. Cl.** **D13/162**

[58] **Field of Search** D13/158, 162,
D13/168; D14/218; D21/324; 340/825.22,
825.24, 825.25, 825.29, 825.31, 825.72;
455/151.2, 151.3, 151.4

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 300,220 3/1989 Schremmer D14/218

D. 346,169 4/1994 Wannier et al. D14/218
D. 393,629 4/1998 Tsui D13/168
4,768,230 8/1988 Viebrantz et al. D13/168 X

Primary Examiner—Brian N. Vinson


[57] **CLAIM**

The ornamental design for a control device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view illustrating the front, left side and bottom of the control device;
FIG. 2 is a view of the front of the control device;
FIG. 3 is a view of the top of the control device;
FIG. 4 is a view of the bottom of the control device;
FIG. 5 is a side view of the left side of the control device;
FIG. 6 is a side view of the right side of the control device;
and,
FIG. 7 is a view of the back of the control device.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG.3




FIG.2




FIG.4

FIG.5



FIG.6




FIG.7