



US00D435531S

United States Patent [19]

[11] Patent Number: Des. 435,531

Isonaga

[45] Date of Patent: ** Dec. 26, 2000

[54] **CHARGER FOR A WIRELESS TELEPHONE**

[75] Inventor: **Yasuaki Isonaga**, Tokyo, Japan

[73] Assignee: **Sony Corporation**, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/121,847**

[22] Filed: **Apr. 14, 2000**

D. 408,817	4/1999	Ishibashi	D14/149
D. 409,190	5/1999	Tamura et al.	D14/151
D. 410,922	6/1999	Komiyama	D14/149
D. 412,502	8/1999	Fuke et al.	D14/148
D. 414,181	9/1999	Isonaga	D14/151
D. 414,489	9/1999	Voigt et al.	D14/148
D. 423,001	4/2000	Shindo	D14/149
D. 424,559	5/2000	Ogawa	D14/148
D. 425,856	5/2000	Shindo	D13/108
D. 426,536	6/2000	Shindo	D14/151
D. 427,173	6/2000	Chan et al.	D14/149

Related U.S. Application Data

[62] Division of application No. 29/105,633, May 27, 1999.

[30] **Foreign Application Priority Data**

Nov. 30, 1998 [TW] Taiwan 98 3 05732

[51] **LOC (7) Cl.** **14-03**

[52] **U.S. Cl.** **D14/149; D13/108**

[58] **Field of Search** D14/137, 138,
D14/148, 147, 149-151, 140-142, 240,
241, 251, 253; 379/433-436, 419, 420,
428, 440, 454, 455, 446, 447; D13/107,
108; 320/110, 113, 114, 115

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 278,434	4/1985	Nestell	D14/149
D. 307,276	4/1990	Desbarats	D14/149
D. 349,899	8/1994	Siddoway et al.	D14/151
D. 355,652	2/1995	Lee et al.	D14/149
D. 359,284	6/1995	Hung	D14/151
D. 366,483	1/1996	Major	D14/149
D. 369,601	5/1996	Tomoike	D14/149
D. 369,799	5/1996	Kong et al.	D14/149
D. 372,027	7/1996	Tomoike	D14/151
D. 375,935	11/1996	Nagele et al.	D13/108
D. 394,257	5/1998	Hung et al.	D14/149
D. 401,235	11/1998	Fuke et al.	D14/149
D. 408,406	4/1999	Shindo	D12/149

OTHER PUBLICATIONS

“Style”(SPP-1110, SPP-Q120 & SPP-ID910)Sony, Fall/Winter; 1998; pp. 266 &267.

Primary Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Rader, Fishman&Grauer


[57] **CLAIM**

The ornamental design for a charger for a wireless telephone, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a charger for a wireless telephone showing my new design; FIG. 2 is a top plan view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a left side elevational view thereof; and FIG. 7 is a right side elevational view thereof. FIG. 8 is a perspective view of a second embodiment of a charger for a wireless telephone showing my new design; FIG. 9 is a top plan view of the embodiment thereof; FIG. 10 is a bottom plan view thereof; FIG. 11 is a front elevational view thereof; FIG. 12 is a rear elevational view thereof; FIG. 13 is a left side elevational view thereof; and, FIG. 14 is a right side elevational view thereof.

1 Claim, 8 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14