



US00D435536S

**United States Patent** [19]  
**Ishibashi**

[11] **Patent Number: Des. 435,536**

[45] **Date of Patent: \*\* Dec. 26, 2000**

[54] **COMBINED RADIO RECEIVER AND CLOCK**

[75] Inventor: **Yasuhiro Ishibashi**, Tokyo, Japan

[73] Assignee: **Sony Corporation**, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/119,570**

[22] Filed: **Feb. 28, 2000**

[51] **LOC (7) Cl.** ..... **14-01**

[52] **U.S. Cl.** ..... **D14/171**

[58] **Field of Search** ..... D10/1, 2, 15; D14/160-165,  
D14/167, 168, 170, 171, 188, 192-198;  
455/344, 345, 347-351

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 359,285	6/1995	Niblett	.....	D14/171	X
D. 412,173	7/1999	Hayashi	.....	D14/163	
D. 412,908	8/1999	Ishii et al.	.....	D14/165	
3,831,303	8/1974	Funaki	.....	D10/15	X

**OTHER PUBLICATIONS**

“80” (ICF-C242) Sony; Jul. 1995; p. 73.  
“Style”(ICF-C25 & ICF-C370) Sony, Fall/Winter; 1998; p. 236.  
“93” (ICF-C470) Sony; Nov. 1999; p. 85.

*Primary Examiner*—Nanda Bondade  
*Attorney, Agent, or Firm*—Rader, Fishman & Graue

[57] **CLAIM**

The ornamental design for a combined radio receiver and clock, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a combined radio receiver and clock showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a rear elevational view thereof;  
FIG. 6 is a bottom plan view thereof; and,  
FIG. 7 is a left side elevational view thereof.

**1 Claim, 3 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 7




FIG. 5




FIG. 6

