



US00D435541S

United States Patent [19]

Kataoka et al.

[11] Patent Number: Des. 435,541

[45] Date of Patent: ** Dec. 26, 2000

[54] HOLDER FOR ELECTRONIC DEVICE

D. 365,927 1/1996 Cho D3/218

[75] Inventors: Tetsu Kataoka; Jou Wada, both of Tokyo, Japan

Primary Examiner—Nanda Bondade
Attorney, Agent, or Firm—Rader, Fishman & Grauer

[73] Assignee: Sony Corporation, Japan

[57] CLAIM

[**] Term: 14 Years

The ornamental design for a holder for electronic device, as shown and described.

[21] Appl. No.: 29/092,221

DESCRIPTION

[22] Filed: Aug. 14, 1998

FIG. 1 is a perspective view of a holder for electronic device showing our new design;

[51] LOC (7) Cl. 14-99

FIG. 2 is a top plan view thereof;

[52] U.S. Cl. D14/217; D3/218; D8/373

FIG. 3 is a left side elevational view thereof;

[58] Field of Search D3/218; D6/329, D6/449, 466, 486; D8/373; D14/224, 229, 238, 299; 211/75, 131.1

FIG. 4 is a front elevational view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a right side elevational view thereof; and

FIG. 7 is a rear elevational view thereof; and,

FIG. 8 is a reference perspective view thereof, wherein an electronic device in broken line is inserted.


The electronic device in broken lines is for illustrative purpose only and forms no part of claimed design.

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 27,311 7/1897 Brickley D8/373
- D. 32,336 3/1900 Cliff D8/373
- D. 326,603 6/1992 Rogers D8/373

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 6




FIG. 5




FIG. 4




FIG. 7




FIG. 8