



US00D435779S

(12) **United States Design Patent**  
**Marzolf et al.**

(10) **Patent No.: US D435,779 S**  
(45) **Date of Patent: \*\* Jan. 2, 2001**

(54) **OPERATOR FOR A CLOSURE ELEMENT**

(75) Inventors: **Ricci L. Marzolf; Julie Houdek**, both  
of New Hampton, IA (US); **Andrew**  
**Bools**, Hamilton; **David Craft**,  
Hucknall, both of (GB)

(73) Assignee: **Tri/Mark Corporation**, New Hampton,  
IA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/104,109**

(22) Filed: **Apr. 28, 1999**

(51) **LOC (7) Cl. .... 08-06**

(52) **U.S. Cl. .... D8/321; D8/302; D8/319;**  
**D8/320**

(58) **Field of Search .... D8/300, 315-320,**  
**D8/321, 302, 356; 70/207, 224; 16/110 R,**  
**111 R; 292/336.3, DIG. 67, DIG. 37, DIG. 12**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

431,105 \* 7/1890 Cinnamond .  
697,344 \* 4/1902 Leland .  
1,028,310 \* 6/1912 Whittier .  
3,127,206 \* 3/1964 Jakeway .  
3,372,441 \* 3/1968 Fisher .

**OTHER PUBLICATIONS**

Stimpson Eyelets Cat. No. 110-F; p. 94; eyelets A 1683; A  
2582, ©1967.\*

Stimpson Eyelets Cat. No. 110-F; p. 82; eyelets A 1180; A  
1600, ©1967.\*

\* cited by examiner

*Primary Examiner*—B. J. Bullock

(74) *Attorney, Agent, or Firm*—Wood, Phillips, VanSanten,  
Clark & Mortimer

(57) **CLAIM**

The ornamental design for an operator for a closure element,  
as shown and described.

**DESCRIPTION**

FIG. 1 is a front, top and right side perspective view of our  
operator for a closure element;

FIG. 2 is a right side elevation view with a longitudinal  
section through the center thereof;

FIG. 3 is a left side elevation view thereof;

FIG. 4 is a front elevation view thereof;


FIG. 5 is a rear elevation view thereof; and,


FIG. 6 is a bottom view thereof.

The portion of the operator for a closure element shown in  
dotted lines is for illustrative purposes only in FIGS. 1-6 and  
does not constitute a part of the claimed design.


The designations top, bottom, left side and right side are  
arbitrary in that the operator for a closure element can be  
used in different orientations.

**1 Claim, 4 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*



*Fig. 4*



*Fig. 5*



*Fig. 6*