



US00D435796S

(12) **United States Design Patent**
Tomiyama et al.

(10) **Patent No.: US D435,796 S**
(45) **Date of Patent: ** Jan. 2, 2001**

(54) **DIGITAL MULTI-METER**

(75) Inventors: **Hideki Tomiyama; Seiji Onuma**, both
of Ueda (JP)

(73) Assignee: **Hioki Denki Kabushiki Kaisha**, Ueda
(JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/118,467**

(22) Filed: **Feb. 8, 2000**

(30) **Foreign Application Priority Data**

Aug. 27, 1999 (JP) 11-23112

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/78**

(58) **Field of Search** D10/78; 324/72.5,
324/110, 114, 115, 149, 151 A, 151 R,
156, 158 F; 379/21

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 390,139 * 2/1998 Tomiyama et al. D10/78
5,153,511 * 10/1992 Lee 324/115
5,193,108 * 3/1993 Stocklin 379/21

5,530,373 * 6/1996 Gibson et al. 324/115 X
5,640,155 * 6/1997 Springer 324/156 X

* cited by examiner

Primary Examiner—Antoine Duval Davis

(74) *Attorney, Agent, or Firm*—Kanesaka & Takeuchi

(57) **CLAIM**

The ornamental design for a digital multi-meter, as shown
and described.

DESCRIPTION

FIG. 1 is a front view of a digital multi-meter showing our
new design;

FIG. 2 is a left side view thereof;

FIG. 3 is a right side view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a rear view thereof;

FIG. 7 is a view with the rear case thereof being opened;

FIG. 8 is a front view with all the indicator elements on the
panel being on;

FIG. 9 is a perspective view showing the meter in one style
of use; and,

FIG. 10 is a perspective view showing the meter in another
style of use.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

