



US00D435807S

(12) **United States Design Patent**
Anscher

(10) **Patent No.:** **US D435,807 S**

(45) **Date of Patent:** **** Jan. 2, 2001**

- (54) **D-RING**
- (75) **Inventor:** **Joseph Anscher**, Muttontown, NY (US)
- (73) **Assignee:** **National Molding Corporation**,
Farmingdale, NY (US)
- (**) **Term:** **14 Years**
- (21) **Appl. No.:** **29/110,438**
- (22) **Filed:** **Sep. 7, 1999**
- (51) **LOC (7) Cl.** **02-07**
- (52) **U.S. Cl.** **D11/200**
- (58) **Field of Search** D11/200-220,
D11/231; 24/163 K, 163 R, 615, 616, 631,
633, 641, 579.1, 656; D30/134-142

- D. 364,126 * 11/1995 Ochiai et al. D11/218
- D. 427,547 * 7/2000 Yoshiguchi D11/218
- 1,697,833 * 1/1929 Lane D30/140 X
- 2,889,168 * 6/1959 Englehardt 24/579.1

* cited by examiner

Primary Examiner—Louis S. Zarfes
Assistant Examiner—Catherine R. Oliver
(74) *Attorney, Agent, or Firm*—Collard & Roe, P.C.

(57) **CLAIM**

The ornamental design for a D-ring, as shown and described.

DESCRIPTION


FIG. 1 shows a front view of my design for a D-ring;
FIG. 2 shows a bottom view thereof;
FIG. 3 shows a rear view thereof;
FIG. 4 shows a top view thereof;
FIG. 5 shows a side view thereof, with the opposite side
being identical; and,
FIG. 6 shows a perspective view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 35,694 * 2/1902 Hull D30/140
- D. 233,051 * 10/1974 Craigmyle D30/140
- D. 357,435 * 4/1995 Cook D11/218

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5