



US00D436036S

(12) **United States Design Patent**
Manseau et al.

(10) **Patent No.:** **US D436,036 S**

(45) **Date of Patent:** **** Jan. 9, 2001**

(54) **ERGONOMIC HANDLE FOR CARRYING BAGS**

5,884,955 3/1999 Pucillo 294/171

* cited by examiner

(76) Inventors: **Marcel Manseau**, 1060 Mill Hill; **Joso Cvitan**, 1058 Mill Hill, both of Chomedey, Laval, Quebec (CA), H7W 1P4

Primary Examiner—Robert M. Spear
(74) *Attorney, Agent, or Firm*—George J. Primak

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for an ergonomic handle for carrying bags, as shown and described.

(21) Appl. No.: **29/123,869**

DESCRIPTION

(22) Filed: **May 24, 2000**

(30) **Foreign Application Priority Data**

Dec. 2, 1999 (CA) 1999-2935

(51) **LOC (7) Cl.** **09-07**

(52) **U.S. Cl.** **D9/434**

(58) **Field of Search** D7/622; D8/300, D8/303; D9/344, 434, 499; D34/28; 16/110.1, 111.1, 406, 422; 248/95; 294/12, 137, 158, 159, 170, 171; 383/6, 13

FIG. 1 is a perspective view of the handle with the top panel closed;

FIG. 2 is an end view of the handle with the top panel closed, the opposite end view being a mirror image thereof;

FIG. 3 is a side view of the handle with the top panel closed, the opposite side view being identical thereto;

FIG. 4 is a top view of the handle with the top panel closed;

FIG. 5 is a bottom view of the handle;

FIG. 6 is a perspective view of the handle with the top panel open;

FIG. 7 is an end view of the handle with the top panel open, the opposite end view being a mirror image thereof;

FIG. 8 is a side view of the handle with the top panel open, the opposite side view being identical thereto;

FIG. 9 is a top view of the handle with the top panel open;

FIG. 10 is a perspective view of an alternate embodiment of the handle, having no top panel, it being understood that the end, top and bottom views thereof are substantially the same as those shown and described in FIGS. 3, 5 & 9;

FIG. 11 is a end view of the alternate embodiment of the handle, depicted in FIG. 10, the opposite end view being a mirror image thereof; and,


FIG. 12 is a side view of the handle when used as a bag carrying device; the broken lines in this figure showing the outline of the hand and of the bag form no part of the claimed design, but illustrate how the handle is used to carry a bag and how it can be ergonomically gripped and held by the hand.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 325,156	4/1992	Sweeny	D8/300
D. 325,509	* 4/1992	Cameron	D9/434
D. 369,745	* 5/1996	Kitazaki	D9/434
D. 371,737	* 7/1996	May	D9/434
D. 372,425	* 8/1996	Kirkwood	D9/434
D. 374,621	* 10/1996	Salazar, Jr.	D9/434
D. 384,279	* 9/1997	Hepworth	D9/434
D. 403,035	* 12/1998	MacPherson	D21/684
D. 404,645	* 1/1999	Ball	D9/434
D. 411,093	* 6/1999	Selig et al.	D8/321
2,448,894	* 9/1948	Laus	294/171
3,913,172	10/1975	Richards et al.	16/114 B
4,936,619	6/1990	Salazar	294/171
5,181,757	1/1993	Montoya	294/159
5,356,190	10/1994	Torres	294/171
5,527,076	6/1996	Randels	294/25
5,651,575	7/1997	Bystrom et al.	294/171
5,788,302	* 8/1998	Barrash et al.	294/87.2

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12