



US00D436290S

(12) **United States Design Patent**
Harel

(10) **Patent No.:** **US D436,290 S**

(45) **Date of Patent:** **** Jan. 16, 2001**

(54) **LIGHTER**

(76) **Inventor:** **Yigal C. Harel**, Ploennisstr. 11,
Ratingen (DE), 40885

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/103,524**

(22) **Filed:** **Apr. 15, 1999**

(30) **Foreign Application Priority Data**

Feb. 11, 1999 (XH) 133189401

(51) **LOC (7) Cl.** **07-01**

(52) **U.S. Cl.** **D7/416**

(58) **Field of Search** D7/416, 417, 387,
D7/393, 395, 213; D27/154, 131, 139;
131/329; 126/25 B, 409; 431/13, 344

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 327,813 * 7/1992 Shike et al. D7/416
- D. 360,107 * 7/1995 Segawa D7/416
- D. 360,557 * 7/1995 Ono et al. D7/416
- D. 380,936 * 7/1997 Hsu D7/416
- D. 410,363 * 6/1999 Tubby et al. D7/416
- D. 421,876 * 3/2000 Hsu D7/416
- D. 424,374 * 5/2000 Stein D7/416
- 4,292,021 * 9/1981 Miyagawa 431/13

* cited by examiner

Primary Examiner—M. N. Pandozzi

(74) *Attorney, Agent, or Firm*—R. Lewis Gable; Cowan,
Liebowitz & Latman, PC

(57) **CLAIM**

The ornamental design for the lighter, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of the lighter with actuating member disposed in its unextended position;

FIG. 2 is a top, front and left side perspective view of the embodiment of FIG. 1, with its actuating member disposed in its extended position;

FIG. 3 is a left side elevational view of the embodiment of FIG. 1;

FIG. 4 is a right side elevational view of the embodiment of FIG. 1;

FIG. 5 is a back side elevational view of the embodiment of FIG. 1;

FIG. 6 is a front side elevational view of the embodiment of FIG. 1;

FIG. 7 is a top plan view of the embodiment of FIG. 1; and, FIG. 8 is a bottom plan view of the embodiment of FIG. 1.

1 Claim, 3 Drawing Sheets




FIG. 1



FIG. 2




FIG. 3





FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8