



US00D436369S

(12) **United States Design Patent**
Sasaki et al.

(10) **Patent No.:** **US D436,369 S**
(45) **Date of Patent:** **** Jan. 16, 2001**

(54) **PHOTOCOPIER**

(75) Inventors: **Hiroaki Sasaki**, Yokohama; **Takashi Kusanagi**, Akishima; **Akihisa Shiozaki**, Tokyo, all of (JP)

(73) Assignee: **Canon Kabushiki Kaisha**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/119,608**

(22) Filed: **Mar. 6, 2000**

(30) **Foreign Application Priority Data**

Sep. 7, 1999 (JP) 11-24055

(51) **LOC (7) Cl.** **16-03**

(52) **U.S. Cl.** **D18/39**

(58) **Field of Search** D18/36-39, 50,
D18/54, 55; 399/1, 16, 75, 151, 130, 310,
361, 365

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 320,409 * 10/1991 Kosako et al. D18/39

D. 362,457 * 9/1995 Shimizu D18/39
D. 390,256 * 2/1998 Shibata D18/39
D. 407,741 4/1999 Kusanagi D18/55

* cited by examiner

Primary Examiner—Caron D. Veynar

(74) *Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto

(57) **CLAIM**

The ornamental design for a photocopier, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a photocopier showing our new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a perspective view thereof.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

