



US00D436826S

(12) **United States Design Patent** (10) **Patent No.:** **US D436,826 S**  
**Weinstock** (45) **Date of Patent:** **\*\* Jan. 30, 2001**

(54) **LETTER OPENER**

(76) **Inventor:** **Jay Weinstock**, 326 Prospect Ave., Apt.  
10J, Hackensack, NJ (US) 07601

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/120,880**

(22) **Filed:** **Mar. 28, 2000**

(51) **LOC (7) Cl.** ..... **08-03**

(52) **U.S. Cl.** ..... **D8/103**

(58) **Field of Search** ..... D8/102, 16, 19,  
D8/103, 104, 33, 38, 98; 30/400-443, 289,  
294, DIG. 3, 286; 81/3.55; D3/211, 208;  
D6/450; D19/65, 97

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|            |   |         |               |       |             |
|------------|---|---------|---------------|-------|-------------|
| D. 015,480 | * | 10/1884 | Summer        | ..... | D6/450      |
| D. 306,394 | * | 3/1990  | Koenig        | ..... | D8/102      |
| D. 329,584 | * | 9/1992  | Shevin et al. | ..... | D8/102      |
| D. 329,798 | * | 9/1992  | Kramer et al. | ..... | D8/102      |
| D. 333,773 | * | 3/1993  | Schapiro, Jr. | ..... | D8/102      |
| D. 344,227 | * | 2/1994  | Hsu           | ..... | D8/102      |
| D. 365,508 | * | 12/1995 | Koch          | ..... | D8/102      |
| D. 377,595 | * | 1/1997  | Wiezenenthal  | ..... | D8/98       |
| D. 379,057 | * | 5/1997  | Lin           | ..... | D8/102      |
| D. 380,367 | * | 7/1997  | Schmidt       | ..... | D8/103      |
| D. 405,339 | * | 2/1999  | Kleefman      | ..... | D8/103      |
| D. 408,059 | * | 4/1999  | Marnix        | ..... | D19/97      |
| D. 420,271 | * | 2/2000  | Wenk          | ..... | D8/102      |
| D. 421,889 | * | 3/2000  | Moore         | ..... | D8/102      |
| 2,442,694  | * | 6/1948  | Keiser        | ..... | 30/DIG. 3 X |

|           |   |         |               |       |             |
|-----------|---|---------|---------------|-------|-------------|
| 2,610,399 | * | 9/1952  | Adams et al.  | ..... | 30/286      |
| 3,028,670 | * | 4/1962  | Tilly         | ..... | 30/DIG. 3 X |
| 3,358,398 | * | 12/1967 | Chalfin       | ..... | 40/596      |
| 3,675,355 | * | 7/1972  | Shanok et al. | ..... | 40/596      |

\* cited by examiner

*Primary Examiner*—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Gottlieb, Rackman &  
Reisman, P.C.

(57) **CLAIM**

The ornamental design for a letter opener, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a reduced top, front, and left side perspective view  
of the design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a rear view thereof;


FIG. 7 is a bottom plan view thereof;

FIG. 8 is a reduced top, front, and left side perspective view  
of a second embodiment of the design;

FIG. 9 is a front view, the rear being a mirror image thereof,  
and the top, sides, and bottom being the same in appearance  
as FIGS. 2, 4, 5, and 7; and,

FIG. 10 is a front view of a third embodiment of the design,  
the rear being a mirror image thereof, and the top, sides, and  
bottom being the same in appearance as FIGS. 2, 4, 5, and  
7.

**1 Claim, 4 Drawing Sheets**







*FIG. 2*



*FIG. 1*



*FIG. 3*






*FIG. 4*



*FIG. 5*




*FIG. 6*




*FIG. 7*




*FIG. 8*



*FIG. 9*







*FIG. 10*