



US00D436859S

(12) **United States Design Patent**
Botsford et al.

(10) **Patent No.:** **US D436,859 S**

(45) **Date of Patent:** **** Jan. 30, 2001**

(54) **DISPOSABLE CARTON**

(75) Inventors: **Charles W. Botsford; Marc Fagelman,**
both of Akron; **Donald W. Hart,**
Cuyahoga Falls, all of OH (US)

(73) Assignee: **Gojo Industries, Inc.,** Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/109,436**

(22) Filed: **Aug. 16, 1999**

(51) **LOC (7) Cl.** **09-03**

(52) **U.S. Cl.** **D9/416; D9/432**

(58) **Field of Search** D9/337, 345-347,
D9/414, 415, 418, 423, 416, 430-432;
D6/542, 545; 222/181.3, 282; 229/122.1,
122, 240, 110

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 230,955	*	3/1974	Katzenmeyer		D9/414
D. 269,068	*	5/1983	Mann, Sr. et al.		D9/418
D. 292,839	*	11/1987	Brogdon		D9/432
D. 312,184	*	11/1990	De Luca et al.		D6/542
D. 316,672	*	5/1991	Wood		D9/346
D. 373,306	*	9/1996	Baxter		D9/346
D. 394,386	*	5/1998	Fischer		D9/431
2,339,156	*	1/1944	Davis		229/240
3,014,634	*	12/1961	Humphrey et al.		229/122.1
3,356,279	*	12/1967	Root		229/122.1
3,894,681	*	7/1975	Arneson et al.		229/240
3,961,706	*	6/1976	Roccaforte et al.		229/110
4,502,514	*	3/1985	Ballard et al.		229/240
5,249,681	*	10/1993	Miller		229/122.1
5,284,293	*	2/1994	Alpern et al.		229/122.1
5,690,230	*	11/1997	Griffith		229/122.1
6,062,425	*	5/2000	Brown et al.		222/181.3
6,073,833	*	6/2000	Desrosiers et al.		229/242

* cited by examiner

Primary Examiner—James Gandy

Assistant Examiner—Carol Rademaker

(74) *Attorney, Agent, or Firm*—Reese Taylor

(57) **CLAIM**

The ornamental design for a disposable carton, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a side elevational view taken from the right of FIG. 2, the opposed side being a mirror image thereof;

FIG. 6 is a bottom plan view;

FIG. 7 is a perspective view of a second embodiment of the invention;

FIG. 8 is a front elevational view of FIG. 7;

FIG. 9 is a top plan view of FIG. 7;

FIG. 10 is a rear elevational view of FIG. 7;

FIG. 11 is a side elevational view taken from the right of FIG. 8, the opposed side being a mirror image thereof;

FIG. 12 is a bottom plan view of FIG. 7;

FIG. 13 is a perspective view of a third embodiment of the invention;

FIG. 14 is a front elevational view of FIG. 13;

FIG. 15 is a top plan view of FIG. 13;



FIG. 16 is a rear elevational view of FIG. 13;

FIG. 17 is a side elevational view of FIG. 13, the opposed side being a mirror image thereof; and,

FIG. 18 is a bottom plan view of FIG. 13.

The dotted lines shown in FIGS. 1-2, 5-8, 11-14, & 17-18 represent tear lines.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 9




FIG. 8




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 15




FIG. 14




FIG. 16




FIG. 17




FIG. 18