



US00D436880S

(12) **United States Design Patent**
Dimand

(10) **Patent No.:** **US D436,880 S**

(45) **Date of Patent:** **** Jan. 30, 2001**

(54) **BALLOON SIGNAL UNIT**

(76) **Inventor:** **Eldad Dimand**, 5510 Noble Ave.,
Sherman Oaks, CA (US) 91411

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/122,474**

(22) **Filed:** **Apr. 27, 2000**

(51) **LOC (7) Cl.** **10-05**

(52) **U.S. Cl.** **D10/109**

(58) **Field of Search** D10/104, 109,
D10/111; 116/DIG. 8, DIG. 9, 63 P; 441/1,
6, 11, 30

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 313,767	*	1/1991	Rosebush et al.	D10/109
D. 353,344	*	12/1994	Banks	D10/109
D. 353,784	*	12/1994	Mattoon et al.	D10/109
D. 367,826	*	3/1996	Ball et al.	D10/109
3,250,241	*	5/1966	Zevy et al.	D16/109

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Goldstein & Canino

(57) **CLAIM**

The ornamental design for a balloon signal unit, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a balloon signal unit.

FIG. 2 is a front cross-sectional view of the balloon signal unit, taken along line 2—2 of FIG. 1.

FIG. 3 is a front cross-sectional view of the balloon signal unit in the open position.

FIG. 4 is a right side elevational view of the balloon signal unit in the closed position.



FIG. 5 is a left side elevational view thereof.

FIG. 6 is a front elevational view thereof, the rear elevational view being a mirror image of the front view.

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets






Fig. 1





Fig. 2

Fig. 3






Fig. 6




Fig. 5




Fig. 4




Fig. 7




Fig. 8