US00D436900S

(12) United States Design Patent

Buresh et al.

(10) Patent No.: US D436,900 S
(45) Date of Patent: ** Jan. 30, 2001

(54) **TIRE TREAD**

(75) Inventors: **Patrick Jon Buresh**, Avondale, AZ (US); **Jeffrey Al Pyle**, Greer, SC (US)

(73) Assignee: **Michelin Recherche et Technique S.A.** (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/107,853**

(22) Filed: **Jul. 14, 1999**

(51) **LOC (7) Cl.** **12-15**
(52) **U.S. Cl.** **D12/147**
(58) **Field of Search** ..... D12/138–152; 152/209 RR, 209 NS, 209 AS, 209 AG, 209 RB, 209 GD, 209 DP, 900, 901, 902, 903

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 293,664	*	1/1988	Hayakawa et al.	D12/146
D. 384,604	*	10/1997	Ohya	D12/141
D. 407,679	*	4/1999	Weber et al.	D12/147
D. 416,522	*	11/1999	Matsuda	D12/147

OTHER PUBLICATIONS

Maxxis UA603 Tire, 1998 Tread Design Guide, p. 46. 4/5, Jan. 1998.*
Continental Conti Sport Contact Tire, 1998 Tread Design Guide, p. 19. 1/2, Jan. 1998.*

* cited by examiner

Primary Examiner—Robert M. Spear
(74) *Attorney, Agent, or Firm*—Martin Farrell; Robert R. Reed

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a tire tread showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, and that the broken line illustrates the location of a sidewall and bead, but forms no part of the claimed design; and,
FIG. **2** is an enlarged fragmentary plan view of the tire tread illustrated in FIG. **1**.
In the drawings, the dark stippled surface shading represents the recessed portion of the tread grooves, which have indeterminate depth.

1 Claim, 2 Drawing Sheets





Fig. 1



Fig. 2