



US00D436900S

(12) **United States Design Patent**
Buresh et al.

(10) **Patent No.:** **US D436,900 S**
(45) **Date of Patent:** **** Jan. 30, 2001**

(54) **TIRE TREAD**

(75) Inventors: **Patrick Jon Buresh**, Avondale, AZ (US); **Jeffrey Al Pyle**, Greer, SC (US)
(73) Assignee: **Michelin Recherche et Technique S.A.** (CH)
(**) Term: **14 Years**

(21) Appl. No.: **29/107,853**
(22) Filed: **Jul. 14, 1999**

(51) **LOC (7) Cl.** **12-15**
(52) **U.S. Cl.** **D12/147**
(58) **Field of Search** D12/138-152;
152/209 RR, 209 NS, 209 AS, 209 AG,
209 RB, 209 GD, 209 DP, 900, 901, 902,
903

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 293,664	*	1/1988	Hayakawa et al.	D12/146
D. 384,604	*	10/1997	Ohya	D12/141
D. 407,679	*	4/1999	Weber et al.	D12/147
D. 416,522	*	11/1999	Matsuda	D12/147

OTHER PUBLICATIONS

Maxxis UA603 Tire, 1998 Tread Design Guide, p. 46. 4/5, Jan. 1998.*
Continental Conti Sport Contact Tire, 1998 Tread Design Guide, p. 19. 1/2, Jan. 1998.*

* cited by examiner

Primary Examiner—Robert M. Spear
(74) *Attorney, Agent, or Firm*—Martin Farrell; Robert R. Reed


(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, and that the broken line illustrates the location of a sidewall and bead, but forms no part of the claimed design; and, FIG. 2 is an enlarged fragmentary plan view of the tire tread illustrated in FIG. 1. In the drawings, the dark stippled surface shading represents the recessed portion of the tread grooves, which have indeterminate depth.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2