



US00D436959S

(12) **United States Design Patent**
Reynolds et al.

(10) **Patent No.:** **US D436,959 S**

(45) **Date of Patent:** **** Jan. 30, 2001**

(54) **STORAGE DEVICE ENCLOSURE**

(75) Inventors: **Douglas S. Reynolds**, Clinton; **Richard F. Leavitt**, Layton; **Kevin G. Dabb**, Kaysville; **Michael Ludgate**, North Salt Lake, all of UT (US); **Jonathon Guerra**, San Francisco, CA (US); **Spencer Murrell**, Lewis Center, OH (US)

(73) Assignee: **Iomega Corporation**, Roy, UT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/110,150**

(22) Filed: **Aug. 30, 1999**

(51) **LOC (7) Cl.** **14-02**

(52) **U.S. Cl.** **D14/368**

(58) **Field of Search** D14/368, 363, D14/365; D6/432, 436, 445, 448; D13/162, 184, 199; 312/223.3; 360/99.12; 361/694, 696

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 346,593 * 5/1994 Mizusugi et al. D14/368

D. 371,546 * 7/1996 Kaneko D14/368

D. 376,587 * 12/1996 Nakada D14/368

D. 395,873 * 7/1998 Yokoyama et al. D14/368

* cited by examiner

Primary Examiner—Freda Nunn

(74) *Attorney, Agent, or Firm*—Woodcock Washburn Kurtz MacKiewicz & Norris LLP

(57) **CLAIM**

The ornamental design for a storage device enclosure, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a storage device enclosure showing our new design;

FIG. 2 is a top plan view;

FIG. 3 is a bottom plan view

FIG. 4 is a side elevational view, the other side being a mirror image;

FIG. 5 is a front elevational view; and,

FIG. 6 is a rear elevational view.

The broken lines are shown in the views for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets





FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6