



US00D436961S

(12) **United States Design Patent**
Ledbetter et al.

(10) **Patent No.: US D436,961 S**

(45) **Date of Patent: ** Jan. 30, 2001**

(54) **PORTION OF A COMPUTER INPUT DEVICE**

(75) Inventors: **Carl J. Ledbetter**, Lynnwood; **Hugh E. McLoone**, Bellevue; **Steven W. Fisher**, Edmonds; **Jonathan A. Hayes**, Seattle, all of WA (US)

(73) Assignee: **Microsoft Corporation**, Redmond, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/102,985**

(22) Filed: **Apr. 6, 1999**

(51) **LOC (7) Cl. 14-02**

(52) **U.S. Cl. D14/402; D14/408**

(58) **Field of Search D14/402-410; 345/156-167; 200/5 R, 5 A, 6 R, 6 A; 273/148 B; 74/471 XY; 463/36, 37, 38**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 288,569	3/1987	Ida	D14/114
D. 328,597	8/1992	Clouss	.	
D. 330,706	11/1992	San-Yih	D14/114
D. 331,231	11/1992	Yang	D14/114
D. 336,900	6/1993	Pfeifer	D14/114
D. 337,321	7/1993	Koh et al.	D14/114
D. 340,923	11/1993	Tso	D14/114
D. 340,926	11/1993	Lin	D14/114
D. 343,392	1/1994	Harden et al.	D14/114
D. 344,498	2/1994	Leman	D14/114
D. 346,373	4/1994	Grant	D14/114
D. 348,057	6/1994	Bradley	D14/114
D. 349,280	8/1994	Kaneko	.	
D. 349,493	8/1994	Cheng	.	
D. 350,737	9/1994	Chen	.	
D. 354,484	1/1995	Skaggs	D14/114
D. 355,901	2/1995	Bradley	D14/114
D. 356,558	3/1995	Montgomery et al.	D14/114
D. 362,431	9/1995	Kaneko et al.	D14/114
D. 363,712	10/1995	Yamada	D14/114
D. 368,080	3/1996	Aeschbacher et al.	D14/114
D. 368,900	4/1996	Ma	D14/114

D. 369,593	5/1996	Ma	D14/114
D. 371,771	7/1996	Verstockt	D14/114
D. 372,904	8/1996	Lo	D14/114

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

2 698 986	6/1994	(FR)	.
WO 92/14235	8/1992	(WO)	.

OTHER PUBLICATIONS

“SICOS Mouse,” SICOS Computer Catalog, 1992.
U.S. application No. 29/080,840 Kaneko et al., filed Nov. 26, 1997.
U.S. application No. 29/083,068 Kaneko et al., filed Feb. 4, 1998.

Primary Examiner—Kay H. Chin

(74) *Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.


(57) **CLAIM**

The ornamental design for a portion of a computer input device, as shown and described.

DESCRIPTION

FIG. 1 is a left-front perspective view of a portion of a computer input device showing our new design; FIG. 2 is a right-rear perspective view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a front elevational view thereof; FIG. 8 is a left-front perspective view of a second embodiment of a portion of a computer input device that is a substantial mirror image of the portion of a computer input device of FIGS. 1-7; and, FIG. 9 is a right-rear perspective view of the portion of the computer input device of FIG. 8. The unshown bottom of the computer input device does not form part of the claimed design. The broken line showing of the remainder of the computer input device is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets



US D436,961 S

Page 2

U.S. PATENT DOCUMENTS

D. 377,487	1/1997	Shih et al.	D14/114	D. 413,114	8/1999	Sheehan .	
D. 378,086	2/1997	Sheehan et al.	D14/114	D. 413,322 *	8/1999	Sheehan et al.	D14/402
D. 381,014	7/1997	Kraus et al.	D14/114	D. 423,488 *	4/2000	O'Keeffe et al.	53/3
D. 381,968	8/1997	Edwards et al.	D14/114	D. 424,550	5/2000	Su .	
D. 381,969	8/1997	Ratzlaff	D14/114	4,862,165	8/1989	Gart	341/20
D. 381,970	8/1997	Gasca	D14/114	4,891,632	1/1990	Chang	340/710
D. 381,971	8/1997	Wu	D14/114	5,157,381	10/1992	Cheng	340/710
D. 382,550	8/1997	Kaneko et al.	D14/114	5,287,090	2/1994	Grant	345/163
D. 385,542	10/1997	Kaneko et al.	D14/114	5,287,120	2/1994	Okada et al.	345/163
D. 385,861	11/1997	Lin	D14/114	5,298,919	3/1994	Chang	345/163
D. 386,162	11/1997	Cheng .		5,313,230	5/1994	Venolia et al.	D14/114
D. 399,835	10/1998	Goldstein et al. .		5,428,368	6/1995	Grant	345/163
D. 411,189	6/1999	Liao et al. .		5,661,504	8/1997	Lo	345/164
D. 411,837 *	7/1999	Sheehan	D14/402				

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

