



US00D436992S

(12) **United States Design Patent**
Chu et al.

(10) **Patent No.:** **US D436,992 S**
(45) **Date of Patent:** **** Jan. 30, 2001**

(54) **ALARM WITH PERPETUAL CALENDAR SUITABLE FOR TRAVELER**

(75) Inventors: **William H. K. Chu; Shu-Chia Chang,**
both of Taipei (TW)

(73) Assignee: **Limax Electronics Co., Ltd.,** Taipei (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/119,730**

(22) Filed: **Mar. 7, 2000**

(51) **LOC (7) Cl.** **19-03**

(52) **U.S. Cl.** **D19/21; D19/25; D10/2; D10/3; D10/15; D10/18; D18/2**

(58) **Field of Search** **D18/2, 6, 7; D19/20, D19/21, 25; D10/2, 3, 15, 18; D14/100-113; 434/304; 283/2; 40/107-122; 368/10, 11, 12, 21, 28-30, 46, 276-285, 82-84, 239-242, 235, 61 R**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 131,209	*	1/1942	Kauffman	D10/3
D. 147,742	*	10/1947	Bowers	D10/3
D. 274,798	*	7/1984	O'Hara et al.	D14/106
D. 366,621	*	1/1996	George et al.	D10/15
D. 382,008	*	8/1997	Mak	D18/2
D. 413,811	*	9/1999	Leung	D10/18
D. 427,629	*	7/2000	Chu et al.	D19/21
3,827,168	*	8/1974	Mori	40/110
5,480,118	*	1/1996	Cross	40/120 X

* cited by examiner

Primary Examiner—Martie K. Holtje

(74) *Attorney, Agent, or Firm*—Dougherty & Troxell

(57) **CLAIM**

The ornamental design for an alarm with perpetual calendar suitable for traveler, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the alarm with perpetual calendar suitable for traveler in a closed state, showing the new design;

FIG. 2 is a front view of the alarm with perpetual calendar suitable for traveler in a closed state;

FIG. 3 is a rear view of the alarm with perpetual calendar suitable for traveler in a closed state;

FIG. 4 is a left side view of the alarm with perpetual calendar suitable for traveler in a closed state;

FIG. 5 is a right side view of the alarm with perpetual calendar suitable for traveler in a closed state;

FIG. 6 is a top view of the alarm with perpetual calendar suitable for traveler in a closed state;

FIG. 7 is a bottom view of the alarm with perpetual calendar suitable for traveler in a closed state;

FIG. 8 is a perspective view of the alarm with perpetual calendar suitable for traveler in an opened state;

FIG. 9 is a front view of the alarm with perpetual calendar suitable for traveler in an opened state;

FIG. 10 is a rear view of the alarm with perpetual calendar suitable for traveler in an opened state;

FIG. 11 is a left side view of the alarm with perpetual calendar suitable for traveler in an opened state;


FIG. 12 is a right side view of the alarm with perpetual calendar suitable for traveler in an opened state;

FIG. 13 is a top view of the alarm with perpetual calendar suitable for traveler in an opened state;

FIG. 14 is a bottom view of the alarm with perpetual calendar suitable for traveler in an opened state; and,

FIG. 15 is a perspective view of the alarm with perpetual calendar suitable for traveler in another opened state.

1 Claim, 10 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15