



US00D437087S

(12) **United States Design Patent**  
**Yamagishi**

(10) **Patent No.:** **US D437,087 S**

(45) **Date of Patent:** **\*\* Jan. 30, 2001**

(54) **COMBINED RAZOR HOLDER AND CAP**

(75) Inventor: **Masami Yamagishi**, Matsudo (JP)

(73) Assignee: **Kai R & D Center Co., Ltd.** (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/102,246**

(22) Filed: **Mar. 19, 1999**

(30) **Foreign Application Priority Data**

Oct. 28, 1998 (JP) ..... 10-31503  
Oct. 28, 1998 (JP) ..... 10-31504

(51) **LOC (7) Cl.** ..... **28-03**

(52) **U.S. Cl.** ..... **D28/48; D28/47**

(58) **Field of Search** ..... **D28/44-48; 30/32,**  
**30/34.05, 47-51, 526-533**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 230,219	*	1/1974	Glaberson et al.	.....	D28/48
D. 252,710	*	8/1979	Picinic	.....	D28/45
D. 283,060	*	3/1986	Camens	.....	D28/51
D. 345,233	*	3/1994	Gray	.....	D28/47
D. 377,238	*	1/1997	Byrne	.....	D28/48
D. 413,181	*	8/1999	Yamagishi	.....	D28/48
4,658,505	*	4/1987	Williams	.....	30/47
4,996,772	*	3/1991	Iten	.....	30/41

**FOREIGN PATENT DOCUMENTS**

M 9300457	*	9/1993	(DE)	.....	28/3
1006006		3/1998	(JP)	.....	
DM/027322	*	9/1993	(XH)	.....	28/3

**OTHER PUBLICATIONS**

Photographs of a Silk Effects™ Razor, with cap, undated.\*

\* cited by examiner

*Primary Examiner*—Ted Shooman

*Assistant Examiner*—C Tuttle

(74) *Attorney, Agent, or Firm*—Stetina Brunda Garred & Brucker


(57) **CLAIM**

The ornamental design for a combined razor holder and cap, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of the razor holder portion of my design, shown with the cap removed for a complete disclosure of the underlying parts;  
 FIG. 2 is a rear elevational view thereof;  
 FIG. 3 is a top plan view thereof;  
 FIG. 4 is a bottom plan view thereof;  
 FIG. 5 is a right side elevational view thereof, a left side elevational view being a mirror image FIG. 5;  
 FIG. 6 is a cross-sectional view taken along the line 6—6 in FIG. 1;  
 FIG. 7 is a cross-sectional view taken along the line 7—7 in FIG. 1;  
 FIG. 8 is a cross-sectional view taken along the line 8—8 in FIG. 1;  
 FIG. 9 is a front perspective view of the razor holder of FIG. 1;  
 FIG. 10 is a front elevational view of the cap portion of my design, shown separate from the assembly for clarity and completeness of disclosure;  
 FIG. 11 is a rear elevational view thereof;  
 FIG. 12 is a top plan view thereof;  
 FIG. 13 is a bottom plan view thereof;  
 FIG. 14 is a right side elevational view thereof, a left side elevational view being a mirror image of FIG. 14;  
 FIG. 15 is an enlarged cross-sectional view taken along the line 15—15 in FIG. 10;  
 FIG. 16 is a cross-sectional view taken along the line 16—16 in FIG. 12;  
 FIG. 17 is a front perspective view of the razor cap of FIG. 11; and,  
 FIG. 18 is a front perspective view of the assembled design.

**1 Claim, 5 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5






Fig. 6




Fig. 7




Fig. 8




Fig. 9

Fig. 10




Fig. 11




Fig. 12




Fig. 13





Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18