



US00D437327S

(12) **United States Design Patent** (10) **Patent No.:** **US D437,327 S**
Bares et al. (45) **Date of Patent:** **** Feb. 6, 2001**

(54) **REAR MOUNTED OPERATOR SEAT BAR**

(75) Inventors: **Mark F. Bares**, Oakes, ND (US); **Gary W. Weddle**, Bedford, TX (US)

(73) Assignee: **Clark Equipment Company**, Woodcliff Lake, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/107,831**

(22) Filed: **Jul. 14, 1999**

(51) **LOC (7) Cl.** **15-04**

(52) **U.S. Cl.** **D15/28**

(58) **Field of Search** D6/356; D15/17,
D15/22-28, 30; D21/828, 829; 180/268;
297/487, 488

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 194,921	*	4/1963	Thomas		D21/828
3,899,042	*	8/1975	Bonar		297/487
4,347,910	*	9/1982	Degura		180/268
4,388,980		6/1983	Vig et al.		180/271
4,391,344		7/1983	Weber et al.		180/271
4,392,660		7/1983	Mason et al.		280/751
4,579,191	*	4/1986	Klee et al.		180/268
4,955,452		9/1990	Simonz		180/271

5,050,700 9/1991 Kim 180/268

5,100,173 3/1992 Kudler 280/748

5,100,199 * 3/1992 Stel et al. 297/488

5,129,478 * 7/1992 Suenaga et al. 180/268

5,588,699 * 12/1996 Rundle et al. 297/488

* cited by examiner

Primary Examiner—Sandra L. Morris

(74) *Attorney, Agent, or Firm*—Westman, Champlin & Kelly, P.A.

(57) **CLAIM**

The ornamental design for a rear mounted operator seat bar, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a rear mounted operator seat bar embodying our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a first side elevational view thereof;


FIG. 5 is a second side elevational view thereof from the side opposite that shown in FIG. 4;

FIG. 6 is a rear elevational view thereof; and,

FIG. 7 is a bottom plan view thereof.

The dotted line representation forms no part of the claimed design.

1 Claim, 7 Drawing Sheets







Fig. 1








Fig. 3

Fig. 4








Fig. 6




Fig. 7