



US00D437433S

(12) **United States Design Patent** (10) **Patent No.:** **US D437,433 S**
Kim (45) **Date of Patent:** **** Feb. 6, 2001**

(54) **FLASHLIGHT, DIRECTION INDICATOR
AND EMERGENCY SAFETY WAND**

(76) Inventor: **Tae Hyung Kim**, 2-702, sambo
mansion, 580-4 yun san 1 dong, yun
jae-ku, pusan (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/123,044**

(22) Filed: **May 10, 2000**

(51) **LOC (7) Cl.** **26-02**

(52) **U.S. Cl.** **D26/38**

(58) **Field of Search** D10/109, 114;
362/157, 158, 171, 183-208

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 410,099	*	5/1999	Lam	D26/38
D. 414,575	*	9/1999	Yuen	D26/38
D. 420,156	*	2/2000	Poon	D26/38

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Jacobson, Price, Holman &
Stern, PLLC

(57) **CLAIM**

I claim the ornamental design for the flashlight, direction
indicator and emergency safety wand, as shown and
described.

DESCRIPTION

FIG. 1 is a front perspective view of the flashlight, direction
indicator and emergency safety wand embodying my design:
FIG. 2 is a front elevational view of the flashlight, direction
indicator and emergency safety wand as shown in FIG. 1:
FIG. 3 is a back elevational view of the flashlight, direction
indicator and emergency safety wand as shown in FIG. 1:
FIG. 4 is a right side elevational view of the flashlight,
direction indicator and emergency safety wand as shown in
FIG. 1:

FIG. 5 is a left side elevational view of the flashlight,
direction indicator and emergency safety wand as shown in
FIG. 1:

FIG. 6 is a top plan view of the flashlight, direction indicator
and emergency safety wand as shown in FIG. 1; and,
FIG. 7 is a bottom plan view of the flashlight, direction
indicator and emergency safety wand as shown in FIG. 1.

1 Claim, 6 Drawing Sheets




FIG.1




FIG.2




FIG. 3




FIG. 4




FIG.5




FIG.6




FIG.7

