



US00D437453S

(12) **United States Design Patent**
Pinchuk

(10) **Patent No.:** **US D437,453 S**

(45) **Date of Patent:** **** Feb. 6, 2001**

(54) **PERSONAL GROOMER SYSTEM**

Primary Examiner—Catherine Tuttle

(75) Inventor: **Rene C. Pinchuk**, Kensington, CA (US)

(57) **CLAIM**

The ornamental design for a personal groomer system, as shown and described.

(73) Assignee: **The Sharper Image**, San Francisco, CA (US)

DESCRIPTION

(**) Term: **14 Years**

(21) Appl. No.: **29/107,628**

(22) Filed: **Jul. 9, 1999**

(51) **LOC (7) Cl.** **28-03**

(52) **U.S. Cl.** **D28/44; D28/49; D28/50; D28/53**

(58) **Field of Search** D28/44, 49-54, D28/58; 30/29.5, 34.05, 34.1, 34.2, 43, 43.1-43.9, 43.91, 43.92, 42, 44, 45, 31

FIG. 1 is a front perspective view of the module component of a personal groomer system, showing my new design; FIG. 2 is a rear perspective view thereof; FIG. 3 is a front elevation view thereof; FIG. 4 is a left side elevation view thereof; FIG. 5 is a rear elevation view thereof; FIG. 6 is a right side elevation view thereof; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; FIG. 9 is a front perspective view of the second component of my design consisting of the module of FIGS. 1-8 and a first blade attachment; FIG. 10 is a rear perspective view thereof; FIG. 11 is a front elevation view thereof; FIG. 12 is a left elevation view thereof; FIG. 13 is a rear elevation view thereof; FIG. 14 is a right side elevation view thereof; FIG. 15 is a top plan view thereof; FIG. 16 is a bottom plan view thereof; FIG. 17 is a front perspective view of the third component of my design consisting of the module of FIGS. 1-8 combined with a second blade attachment; FIG. 18 is a rear perspective view thereof; FIG. 19 is a front elevation view thereof; FIG. 20 is a left side elevation view thereof; FIG. 21 is a rear elevation view thereof; FIG. 22 is a right side elevation view thereof; FIG. 23 is a top plan view thereof; and, FIG. 24 is a bottom plan view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 95,255 * 4/1935 Hill D28/53
- D. 103,295 * 2/1937 Aronson D28/49
- D. 110,792 * 8/1938 Bahr D28/50
- D. 128,032 * 7/1941 Holsclaw D28/49
- D. 302,345 * 7/1989 Rubin D28/53
- D. 305,162 * 12/1989 Mockovak D28/53
- D. 368,984 * 4/1996 Nakashima et al. D28/53
- D. 383,280 * 9/1997 Laube D30/158
- D. 388,543 * 12/1997 Eguchi et al. D28/53
- D. 418,944 * 1/2000 Choi D28/58
- 2,262,476 * 11/1941 Sussman 30/44
- 2,680,289 * 6/1954 Ferraro 30/29.5
- 3,699,652 * 10/1972 Deverman et al. 30/29.5

FOREIGN PATENT DOCUMENTS

- 64863 * 5/1942 (NO) 30/43.6


OTHER PUBLICATIONS

Hong Kong Enterprise Feb. 1999, p. 536: item Nos. B013, A057 and A058.*

* cited by examiner

The structure shown in broken lines in FIGS. 1-8 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 21 Drawing Sheets






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10




FIGURE 11




FIGURE 12




FIGURE 13




FIGURE 14




FIGURE 15




FIGURE 16




FIGURE 17




FIGURE 18




FIGURE 19




FIGURE 20




FIGURE 21




FIGURE 22




FIGURE 23




FIGURE 24