



US00D437481S

(12) **United States Design Patent**  
**Vazquez**

(10) **Patent No.: US D437,481 S**

(45) **Date of Patent: \*\* Feb. 13, 2001**

(54) **BAG WITH VARIABLE GATHERS**

(75) Inventor: **Maximino Vazquez**, New York, NY (US)

(73) Assignee: **Maxworld, Inc.**, New York, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/106,466**

(22) Filed: **Jun. 15, 1999**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/094,412, filed on Oct. 1, 1998.

(51) **LOC (7) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/244; D3/232; D3/233; D3/234**

(58) **Field of Search** ..... **D3/232, 233, 234, D3/244; 190/103, 107; 383/2**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 273,833 \* 5/1984 Taylor et al. .... D3/244 X  
D. 374,975 \* 10/1996 Vargas et al. .... D3/244 X

(List continued on next page.)

*Primary Examiner*—Louis S. Zarfes

*Assistant Examiner*—Monica A. Weingart

(74) *Attorney, Agent, or Firm*—Darby & Darby

(57) **CLAIM**

The ornamental design for a bag with variable gathers, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a bag with variable gathers in a substantially uncompressed state and further shows same in an uncinched condition and having a carry strap, the rear elevational view being a mirror image thereof; FIG. 2 is a front elevational view of the bag with variable gathers in a partially compressed state and further shows same in an uncinched condition, the rear elevational view being a mirror image thereof;

FIG. 3 is a front elevational view of the bag with variable gathers in a substantially compressed state and further shows same in an uncinched condition, the rear elevational view being a mirror image thereof;

FIG. 4 is a left side view of the bag with variable gathers of FIG. 1;

FIG. 5 is a left side view of the bag with variable gathers of FIG. 2;

FIG. 6 is a left side view of the bag with variable gathers of FIG. 3;

FIG. 7 is a front elevational view of a bag with variable gathers of FIG. 1 shown in a cinched condition;

FIG. 8 is a front elevational view of a bag with variable gathers of FIG. 2 shown in a cinched condition;

FIG. 9 is a front elevational view of a bag with variable gathers of FIG. 3 shown in a cinched condition;

FIG. 10 is a left side view of the bag with variable gathers of FIG. 7;

FIG. 11 is a left side view of the bag with variable gathers of FIG. 8;

FIG. 12 is a left side view of the bag with variable gathers of FIG. 9;

FIG. 13 is a top perspective view of the bag with variable gathers of FIG. 1 wherein the carry strap is shown slackened for clarity of the top view;

FIG. 14 is a top perspective view of the bag with variable gathers of FIG. 7 wherein the carry strap is shown slackened for clarity of the top view;

FIG. 15 is a bottom perspective view of the bag with variable gathers of FIGS. 1–14, wherein the carry strap is shown slackened; and

FIG. 16 is a front view of the bag with variable gathers according to an alternative arrangement in which the carry strap includes a shortenable portion between two sliding elements;



FIG. 17 is a side view of the bag with variable gathers of FIG. 16;

FIG. 18 is a top view of the bag with variable gathers of FIG. 16; and,

FIG. 19 is a bottom view of the bag with variable gathers of FIG. 16.

The broken lines shown in the Figures, including the cinch straps or cords and the hardware, as well as the position of the attachments of such elements to the bag with variable gathers, illustrate the environment only and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**



# US D437,481 S

Page 2

---

## U.S. PATENT DOCUMENTS

			5,765,691 * 6/1998 Hall .....	383/2 X
			6,089,752 * 7/2000 Moore .....	383/2
2,575,893	* 11/1951	Seamon .....		383/2
4,267,868	* 5/1981	Lowe .....		383/2

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19