



US00D437483S

(12) **United States Design Patent**
Bisbal et al.(10) **Patent No.:** US D437,483 S
(45) Date of Patent: ** Feb. 13, 2001(54) **DISPLAY AND CARRYING PACKAGE**(75) Inventors: **Maribel Bisbal**, Huntington Beach, CA (US); **Derrick L. Anderson**, Sterling Heights, MI (US); **Harvey J. Simon**, Charlotte, NC (US); **Tracy A. Smith**; **Timothy J. Landers**, both of Fort Mill, SC (US)(73) Assignee: **Springs Industries, Inc.**, Fort Mill, SC (US)(**) Term: **14 Years**(21) Appl. No.: **29/120,802**(22) Filed: **Mar. 27, 2000**(51) LOC (7) Cl. **03-01**(52) U.S. Cl. **D3/276**; D3/283; D3/289

(58) Field of Search D3/272, 273, 276, D3/283, 284, 285, 289; 224/205, 237, 258; 190/110, 111, 112, 113, 109

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 243,637	3/1977	Rabinowitz .
D. 244,723	6/1977	Rabinowitz .
D. 273,534	4/1984	Weinreb .
D. 273,941	5/1984	Farber D9/420
D. 284,333 *	6/1986	Huston D3/283
D. 300,986 *	5/1989	Peregrine et al. D3/289
D. 307,672 *	5/1990	Lam D3/287
D. 313,316 *	1/1991	Nordstrom D3/287
D. 340,387 *	10/1993	Melk D3/289
D. 340,840 *	11/1993	Melk D3/283
D. 349,428	8/1994	Krugman D7/607
D. 375,835 *	11/1996	Christopher et al. D3/289
D. 376,044 *	12/1996	Trawick et al. D3/289
2,517,757	8/1950	Adlerstein .
3,087,605	4/1963	Kester .
3,865,234	2/1975	Kester .
3,989,080	11/1976	Koszegi .
4,290,525	9/1981	Sisson 206/427
4,350,274	9/1982	Morgan 224/205
4,463,789	8/1984	Leiserson .

4,738,363	4/1988	Hudson	206/427
4,796,758 *	1/1989	Hauk	206/545
4,805,749	2/1989	Gerch	190/111
4,819,793	4/1989	Willard et al.	206/162
4,852,739	8/1989	Franco	206/387

(List continued on next page.)

Primary Examiner—Philip S. Hyder(74) *Attorney, Agent, or Firm*—Alston & Bird LLP(57) **CLAIM**

The ornamental design for a display and carrying package, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view illustrating particularly a front wall, one side wall and a top wall of a first embodiment of a display and carrying package;

FIG. 2 is perspective view from the other side of the first embodiment of the display and carrying package and illustrating a rear wall, the other side wall and the top wall; FIG. 3 is a side elevational view of the first embodiment of the display and carrying package and taken from the side thereof which is illustrated in FIG. 2;

FIG. 4 is a side elevational view of the first embodiment of the display and carrying package and taken from the side thereof which is illustrated in FIG. 1;

FIG. 5 is a top plan view of the first embodiment of the display and carrying package; and


FIG. 6 is a perspective view illustrating particularly a front wall, one side wall and a top wall of a second embodiment of a display and carrying package;

FIG. 7 is perspective view from the other side of the second embodiment of the display and carrying package and illustrating a rear wall, the other side wall and the top wall;

FIG. 8 is a side view of the second embodiment of the display and carrying package and taken from the side thereof which is illustrated in FIG. 7;

FIG. 9 is a side elevational view of the second embodiment of the display and carrying package and taken from the side thereof which is illustrated in FIG. 6; and,

FIG. 10 is a top plan view of the second embodiment of the display and carrying package.

1 Claim, 4 Drawing Sheets

US D437,483 S


Page 2

U.S. PATENT DOCUMENTS


4,917,160 4/1990 Hart et al. 150/106
4,984,906 1/1991 Little 383/4
5,255,833 10/1993 McAllister 224/202

5,762,260 6/1998 Goglio 229/199
5,782,360 7/1998 Markson 206/600
5,791,488 8/1998 Lee 206/768

* cited by examiner



—FIG. 1.



—FIG. 2.




Fig. 3.




Fig. 4.




Fig. 5.




FIG. 6.




FIG. 7.




FIG. 8.




FIG. 9.




FIG. 10.