



US00D437596S

(12) **United States Design Patent**
Matsui et al.

(10) **Patent No.:** **US D437,596 S**

(45) **Date of Patent:** **** Feb. 13, 2001**

(54) **INFRARED RAYS COMMUNICATION REPEATER**

D. 414,476 * 9/1999 Hibino D14/114
5,838,226 * 11/1998 Houggy et al. 340/425.1 X

(75) Inventors: **Masayuki Matsui; Yasushi Yoshinaga,**
both of **Kakegawa; Kaoru Suzuki,**
Tokyo, all of (JP)

* cited by examiner

Primary Examiner—Brian N. Vinson
(74) *Attorney, Agent, or Firm*—Sughrue, Mion, Zinn,
Macpeak & Seas, PLLC

(73) Assignee: **NEC Corporation,** Tokyo (JP)

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/108,002**

The ornamental design for an infrared rays communication repeater, as shown.

(22) Filed: **Jul. 20, 1999**

DESCRIPTION

(30) **Foreign Application Priority Data**

Jan. 25, 1999 (JP) 11-1521

(51) **LOC (7) Cl.** **14-02**

(52) **U.S. Cl.** **D14/358**

(58) **Field of Search** D13/168, 158,
D13/159; D14/356, 357, 358, 155; 340/287,
291, 307, 425.1, 425.2

FIG. 1 is a perspective view of top, front and right side of an infrared rays communication repeater showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 382,255 * 8/1997 Moffatt D14/107

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 7




FIG. 6

