



US00D438099S

(12) **United States Design Patent**
Piccioli et al.

(10) **Patent No.:** **US D438,099 S**

(45) **Date of Patent:** **** Feb. 27, 2001**

(54) **BOTTLE**

(75) **Inventors:** **David P. Piccioli**, Auburn; **Suppayan M. Krishnakumar**, Nashua; **Wayne N. Collette**, Merrimack, all of NH (US); **Gerald Zboch**, Barrington, IL (US); **Robert G. Di Canio**, Naperville, IL (US); **Robert C. Boynton**, Grayslake, IL (US); **Jennifer Macritchie**, Winnetka, IL (US)

(73) **Assignee:** **Stokely-Van Camp, Inc.**, Chicago, IL (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/102,536**

(22) **Filed:** **Mar. 26, 1999**

(51) **LOC (7) Cl.** **09-01**

(52) **U.S. Cl.** **D9/307; D9/563**

(58) **Field of Search** **D9/307, 516, 563, D9/543, 537; 215/381-384, 400**

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|------------|--------|--------------------------|---------|
| D. 64,152 | 3/1924 | Sweeney . | |
| D. 154,563 | 7/1949 | Peters | D58/8 |
| D. 182,540 | 4/1958 | Soubier | D58/8 |
| D. 218,019 | 7/1970 | Lattraye | D9/73 |
| D. 283,794 | 5/1986 | Richter | D9/396 |
| D. 313,747 | 1/1991 | Martin | D9/350 |
| D. 320,154 | 9/1991 | Alberghini et al. | D9/370 |
| D. 335,084 | 4/1993 | Snyder | D9/502 |
| D. 344,457 | 2/1994 | Prevot et al. | D9/537 |
| D. 379,224 | 5/1997 | McCallister et al. | D24/121 |
| D. 382,485 | 8/1997 | Krishnakumar et al. | D9/543 |
| D. 382,807 | 8/1997 | Silvers et al. | D9/520 |
| D. 390,471 | 2/1998 | Ito | D9/539 |
| D. 391,160 | 2/1998 | Lauth | D9/502 |
| D. 394,812 | 6/1998 | Crawford | D9/543 |
| D. 396,413 | 7/1998 | Duboff | D9/539 |
| D. 397,297 | 8/1998 | Yang | D9/523 |

| | | | |
|-------------|---------|--------------------------|---------|
| D. 397,616 | 9/1998 | Chen | D9/540 |
| D. 397,941 | 9/1998 | Lauth | D9/502 |
| D. 398,479 | 9/1998 | Vultaggio et al. | D7/533 |
| D. 398,538 | 9/1998 | Fuguen et al. | D9/542 |
| D. 398,539 | 9/1998 | Guislain | D9/564 |
| D. 404,306 | 1/1999 | Steinke | D9/502 |
| D. 407,649 | 4/1999 | McCallister et al. | D9/520 |
| 4,993,565 | 2/1991 | Ota et al. | 215/1 C |
| 5,141,120 | 8/1992 | Brown et al. | 215/1 C |
| 5,141,121 | 8/1992 | Brown et al. | 215/1 C |
| 5,199,588 * | 4/1993 | Hayashi | 215/382 |
| 5,472,105 | 12/1995 | Krishnakumar et al. | 215/384 |
| 5,758,790 | 6/1998 | Ewing, Jr. | 215/384 |
| 5,971,184 | 10/1999 | Krishnakumar et al. | 215/384 |

OTHER PUBLICATIONS

Gatorade 20 oz. sport bottle; Author: Stokely-Van Camp, Inc.; Date: Mar. 15, 1992.

* cited by examiner

Primary Examiner—Terry A. Wallace

(74) *Attorney, Agent, or Firm*—Lars S. Johnson

(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a bottle showing a new design;

FIG. 2 is a front elevational view of the bottle depicted in FIG. 1, the opposite rear elevational view being identical; FIG. 3 is a side elevational view of the bottle depicted in FIG. 2, representing a partial rotation of the bottle about its vertical center axis from the front elevational view depicted in FIG. 2, the opposite side elevational view being identical; FIG. 4 is a top plan view of the bottle depicted in FIG. 2; and,

FIG. 5 is a bottom plan view of the bottle depicted in FIG. 2.

The broken line environmental showing is for illustrative purposes only and does not form part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2

FIG. 3




FIG. 4




FIG. 5

