



US00D438102S

(12) **United States Design Patent**
Humphrey

(10) **Patent No.:** **US D438,102 S**

(45) **Date of Patent:** **** Feb. 27, 2001**

(54) **PACKAGE**

(75) **Inventor:** **Neill W. Humphrey**, El Dorado Hills, CA (US)

(73) **Assignee:** **Trade Source International**, El Dorado Hills, CA (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/115,512**

(22) **Filed:** **Dec. 16, 1999**

(51) **LOC (7) Cl.** **09-07**

(52) **U.S. Cl.** **D9/415; D9/418**

(58) **Field of Search** D9/415, 418, 337, D9/341, 430; 206/461-471, 495, 775-783, 765, 320, 756, 757

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 309,262	7/1990	Coiner	D9/418
D. 315,302	*	3/1991	Kistler D9/415
D. 321,323	11/1991	Nakamura	D9/415
D. 394,384	*	5/1998	Humphrey D9/418
D. 414,108	*	9/1999	Humphrey D9/415
D. 416,485	*	11/1999	Humphrey D9/418
D. 418,408	*	1/2000	Humphrey D9/415
1,784,937	12/1930	Kreslawsky	.	
2,873,023	2/1959	Erickson	206/45.34
3,064,402	11/1962	Crane	53/30
3,116,825	*	1/1964	Thomas 206/471
3,416,656	12/1968	Addiego	206/78
3,420,361	1/1969	Newberg	206/44.12
4,099,612	7/1978	Hanson	206/45.19
4,307,803	12/1981	Johnson	206/45.19
4,415,084	11/1983	Hauser et al.	206/461
4,531,637	7/1985	Cusmano	206/461
4,669,610	6/1987	Lindsey et al.	206/320
4,702,368	10/1987	Jones	206/45.24
4,702,374	10/1987	Kelner	206/418
4,781,289	11/1988	Perkins	206/45.24
4,823,960	4/1989	Perlberg et al.	206/587

4,848,577	7/1989	Hoffman et al.	206/467
4,901,858	2/1990	Anderson	206/461
4,930,627	*	6/1990	Borst et al. 206/470 X
5,002,187	3/1991	Rysner et al.	206/461
5,064,056	11/1991	Gresh	206/45.19
5,188,222	2/1993	Pierce	206/45.34
5,289,916	*	3/1994	Mickelberg 206/756
5,452,802	9/1995	Green	206/466
5,495,937	3/1996	Fraser	206/45.14
5,626,226	5/1997	Gardiner et al.	206/349
5,765,693	*	6/1998	Gnadt et al. 206/763
5,890,593	*	4/1999	Humphrey 206/471

OTHER PUBLICATIONS

Techform Inc., Nov. 1982.*

* cited by examiner

Primary Examiner—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Oppenheimer Wolff & Donnelly LLP

(57) **CLAIM**

The ornamental design for a package, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a package showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a right side elevational view thereof, the left side being a mirror image thereof;
 FIG. 5 is a front perspective view of a package showing another embodiment of my new design;
 FIG. 6 is a front elevational view of the package of FIG. 5.
 FIG. 7 is a top plan view of the package of FIG. 5; and,
 FIG. 8 is a right side elevational view of the package of FIG. 5, the left side view being a mirror image thereof.
 The bottom and the rear of both designs is plain and unornamented.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

