



US00D438106S

(12) **United States Design Patent** (10) **Patent No.:** **US D438,106 S**
Brown et al. (45) **Date of Patent:** **** Feb. 27, 2001**

(54) **V-CUT INNERFRAME FOR A HINGED LID BOX**

(75) Inventors: **Steven L. Brown**, Montpelier;
Claudette Caulder, Midlothian; **John Jerome Fleenor**, Midlothian; **Walter V. Jones**, Midlothian, all of VA (US)

(73) Assignee: **Philip Morris Incorporated**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/107,468**

(22) Filed: **Jul. 8, 1999**

(51) **LOC (7) Cl.** **09-03**

(52) **U.S. Cl.** **D9/432; D27/186**

(58) **Field of Search** D9/341, 346, 414,
D9/415, 418, 430-433; D27/186, 189, 193;
206/268, 271, 273, 275; 229/110, 160.1,
182.1, 148; D19/36, 51, 100

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 148,711	*	2/1948	Leiserowitz		D27/186
D. 273,660		5/1984	Weinberg	.	
D. 279,507	*	7/1985	Schechter et al.		D27/43
D. 303,041	*	8/1989	Thompson		D27/186
3,708,108	*	1/1973	Rosenburg, Jr.		206/268
3,944,066	*	3/1976	Niepmann		206/268
4,753,384	*	6/1988	Focke et al.		229/160.1
4,923,059	*	5/1990	Evers et al.		206/265
5,044,550	*	9/1991	Lamm		229/160.1
5,097,948	*	3/1992	Campbell		206/273
5,478,011	*	12/1995	Pham		229/148
5,487,468	*	1/1996	Sheahan		229/110
5,738,207	*	4/1998	Trimani		206/268
5,823,331	*	10/1998	Manservigi et al.		206/268
5,964,345	*	10/1999	Gamberini		206/268

* cited by examiner

Primary Examiner—Ted Shooman

Assistant Examiner—Carol Rademaker

(74) *Attorney, Agent, or Firm*—Burns, Doane, Swecker & Mathis, LLP

(57) **CLAIM**

The ornamental design for a V-cut innerframe for a hinged lid box, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a V-cut innerframe for a hinged lid box with squared corners according to an embodiment of the present invention;

FIG. 2 is a top view of the V-cut innerframe of FIG. 1;

FIG. 3 is a left side view of the V-cut innerframe of FIG. 1, the right side view being a mirror image of the left side view; FIG. 4 is a perspective view of the V-cut innerframe of FIG. 1;

FIG. 5 is a front view of a V-cut innerframe for a hinged lid box with rounded corners according to an embodiment of the present invention;

FIG. 6 is a top view of the V-cut innerframe of FIG. 5;

FIG. 7 is a left side view of the V-cut innerframe of FIG. 5, the right side view being a mirror image of the left side view;

FIG. 8 is a perspective view of the V-cut innerframe of FIG. 5;

FIG. 9 is a front view of a V-cut innerframe for a hinged lid box with beveled corners according to an embodiment of the present invention;


FIG. 10 is a top view of the V-cut innerframe of FIG. 9;

FIG. 11 is a left side view of the V-cut innerframe of FIG. 9, the right side view being a mirror image of the left side view; and,

FIG. 12 is a perspective view of the V-cut innerframe of FIG. 9.

The broken line showing of the surrounding hinged-lid box and of the interior packaging material is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 12 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12