



US00D438316S

(12) **United States Design Patent**  
**Etter**

(10) **Patent No.:** **US D438,316 S**

(45) **Date of Patent:** **\*\* Feb. 27, 2001**

(54) **BATTERY POWERED FLASHLIGHT**

(75) Inventor: **Mark A. Etter**, Jackson, TN (US)

(73) Assignee: **Porter-Cable Corporation**, Jackson, TN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/106,175**

(22) Filed: **Jun. 10, 1999**

(51) **LOC (7) Cl.** ..... **26-02**

(52) **U.S. Cl.** ..... **D26/44**

(58) **Field of Search** ..... D26/37-50; 362/157,  
362/158, 171, 172, 173, 181-208

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 390,987	*	2/1998	Zurwelle	.....	D26/46
D. 405,552	*	2/1999	Howard et al.	.....	D26/44
D. 413,994	*	9/1999	Clowers et al.	.....	D26/44
D. 422,730	*	4/2000	Byler et al.	.....	D26/44
D. 428,175	*	7/2000	Lynch et al.	.....	D26/44

**OTHER PUBLICATIONS**

DeWalt® 1997 Catalog, cover page and pp. 15, 16, 19, 23 and 24.

Milwaukee® Heavy-Duty Electric Tools for Contractors and Industry, Catalog 1997, cover page and pp. 24 and 26.

Porter Cable Catalog, front and back covers, and p. 47 (Jul. 1997).

Tools on Sale™ Catalog, 1997, cover page and pp. 11, 13 and 20.

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson  
(74) *Attorney, Agent, or Firm*—Merchant & Gould P.C.

(57) **CLAIM**

The ornamental design for a battery powered flashlight, as shown and described.

**DESCRIPTION**

FIG. 1 is a front and top right perspective view of a battery powered flashlight configured for receiving a rechargeable battery with a first voltage capacity.

FIG. 2 is a front elevational view of the battery powered flashlight shown in FIG. 1.

FIG. 3 is a rear elevational view of the battery powered flashlight shown in FIG. 1.

FIG. 4 is a right side elevational view of the battery powered flashlight shown in FIG. 1.

FIG. 5 is a left side elevational view of the battery powered flashlight shown in FIG. 1.

FIG. 6 is a top plan view of the battery powered flashlight shown in FIG. 1.

FIG. 7 is a bottom plan view of the battery powered flashlight shown in FIG. 1.

FIG. 8 is a front and top right perspective view of a battery powered flashlight having a rechargeable battery with a first voltage capacity.

FIG. 9 is a front elevational view of the battery powered flashlight shown in FIG. 8.

FIG. 10 is a rear elevational view of the battery powered flashlight shown in FIG. 8.

FIG. 11 is a right side elevational view of the battery powered flashlight shown in FIG. 8.

FIG. 12 is a left side elevational view of the battery powered flashlight shown in FIG. 8.

FIG. 13 is a top plan view of the battery powered flashlight shown in FIG. 8.

FIG. 14 is a bottom plan view of the battery powered flashlight shown in FIG. 8.

FIG. 15 is a front and top right perspective view of a battery powered flashlight configured for receiving a rechargeable battery with a second voltage capacity.

FIG. 16 is a front elevational view of the battery powered flashlight shown in FIG. 15.

FIG. 17 is a rear elevational view of the battery powered flashlight shown in FIG. 15.




FIG. 18 is a right side elevational view of the battery powered flashlight shown in FIG. 15.

FIG. 19 is a left side elevational view of the battery powered flashlight shown in FIG. 15.

FIG. 20 is a top plan view of the battery powered flashlight shown in FIG. 15.

FIG. 21 is a bottom plan view of the battery powered flashlight shown in FIG. 15.

FIG. 22 is a front and top right perspective view of a battery powered flashlight having a rechargeable battery with a second voltage capacity.

FIG. 23 is a front elevational view of the battery powered flashlight shown in FIG. 22.

FIG. 24 is a rear elevational view of the battery powered flashlight shown in FIG. 22.

FIG. 25 is a right side elevational view of the battery powered flashlight shown in FIG. 22.

FIG. 26 is a left side elevational view of the battery powered flashlight shown in FIG. 22.

FIG. 27 is a top plan view of the battery powered flashlight shown in FIG. 22.

FIG. 28 is a bottom plan view of the battery powered flashlight shown in FIG. 22.

FIG. 29 is a front and top right perspective view of a battery powered flashlight configured for receiving a rechargeable battery with a third voltage capacity.

FIG. 30 is a front elevational view of the battery powered flashlight shown in FIG. 29.

FIG. 31 is a rear elevational view of the battery powered flashlight shown in FIG. 29.

FIG. 32 is a right side elevational view of the battery powered flashlight shown in FIG. 29.

FIG. 33 is a left side elevational view of the battery powered flashlight shown in FIG. 29.

FIG. 34 is a top plan view of the battery powered flashlight shown in FIG. 29.

FIG. 35 is a bottom plan view of the battery powered flashlight shown in FIG. 29.

FIG. 36 is a front and top right perspective view of a battery powered flashlight having a rechargeable battery with a third voltage capacity.

FIG. 37 is a front elevational view of the battery powered flashlight shown in FIG. 36.

FIG. 38 is a rear elevational view of the battery powered flashlight shown in FIG. 36.

FIG. 39 is a right side elevational view of the battery powered flashlight shown in FIG. 36.

FIG. 40 is a left side elevational view of the battery powered flashlight shown in FIG. 36.

FIG. 41 is a top plan view of the battery powered flashlight shown in FIG. 36; and,

FIG. 42 is a bottom plan view of the battery powered flashlight shown in FIG. 36.

**1 Claim, 42 Drawing Sheets**



FIG. 1





FIG. 2





FIG. 3






FIG. 4





FIG. 5





FIG. 6






FIG. 7






FIG. 8





FIG. 9






FIG. 10






FIG. 11





FIG. 12





FIG. 13






FIG. 14





FIG. 15





FIG. 16






FIG. 17






FIG. 18





FIG. 19





FIG. 20






FIG. 21






FIG. 22





FIG. 23






FIG. 24






FIG. 25





FIG. 26





FIG. 27






FIG. 28






FIG. 29





FIG. 30






FIG. 31






FIG. 32





FIG. 33





FIG. 34






FIG. 35






FIG. 36





FIG. 37






FIG. 38






FIG. 39





FIG. 40





FIG. 41






FIG. 42

