



US00D438579S

(12) **United States Design Patent**
Arnold et al.

(10) **Patent No.: US D438,579 S**
(45) **Date of Patent: ** Mar. 6, 2001**

(54) **CONTROL PANEL**
(75) Inventors: **Peter Arnold**, Seattle, WA (US);
Michael Kemery, Bozeman, MT (US);
Brian Kennedy, Seattle, WA (US)

4,911,427	3/1990	Matsumoto et al. .	
4,934,692	6/1990	Owens .	
5,318,487	6/1994	Golen et al.	482/5
5,403,252	4/1995	Leon et al.	482/5
5,685,804	11/1997	Whan-Tong et al.	482/51
5,769,755	6/1998	Henry et al.	482/8

(73) Assignee: **Illinois Tool Works Inc.**, Glenview, IL (US)

OTHER PUBLICATIONS

(**) Term: **14 Years**

Service merchandise Catalog, pp. 522 and 525, Exerciser Display Panels, 1996/1997.

(21) Appl. No.: **29/110,351**

Precor Incorporated brochure entitled "M9.21/M9.21s/9.41s Low-Impact Treadmill" (1995).

(22) Filed: **Sep. 3, 1999**

Precor Incorporated brochure entitled "EFX544 Elliptical Fitness Crosstraining" (1996).

(51) **LOC (7) Cl.** **21-02**

Precor Incorporated brochure entitled "EFX5.21s Elliptical Fitness Crosstraining" (1996).

(52) **U.S. Cl.** **D21/696**

(58) **Field of Search** D21/662, 663,
D21/664, 696, 665, 666, 668, 669; 482/4,
5, 51, 52, 58

* cited by examiner

(56) **References Cited**

Primary Examiner—Philip S. Hyder

(74) *Attorney, Agent, or Firm*—Christensen O'Connor Johnson Kindness PLLC

U.S. PATENT DOCUMENTS

(57) **CLAIM**


D. 325,946	5/1992	Cesaroni et al.	D21/663
D. 331,085	11/1992	Beyer	D21/696
D. 331,435	12/1992	Ueda	D21/696
D. 347,039	5/1994	Littrell et al.	D21/666
D. 360,916	8/1995	Koga	D21/663
D. 363,097 *	10/1995	Tsushi et al.	D21/670
D. 377,672	1/1997	Wanzer et al.	D21/663
D. 388,847	1/1998	Whan-Tong et al.	D21/663
D. 394,282	5/1998	Birrell	D20/19
D. 398,674	9/1998	Huang .	
D. 407,771 *	4/1999	Garza	D21/696
D. 408,477	4/1999	Arnold et al.	D21/668
D. 410,978	6/1999	Littrell et al.	D21/668
D. 412,192	7/1999	Birrell et al.	D21/696
D. 414,518 *	9/1999	Wang et al.	D21/696
4,842,266	6/1989	Sweeney, Sr. et al. .	

The ornamental designs for a control panel, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the present invention; FIG. 2 is a front view of FIG. 1; FIG. 3 is a rear view of FIG. 1; FIG. 4 is a side view of FIG. 1; FIG. 5 is a side view of FIG. 1 taken from the opposite side of FIG. 4; FIG. 6 is a top view thereof; and, FIG. 7 is a bottom view thereof.

1 Claim, 5 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.