



US00D438900S

(12) **United States Design Patent**
Chu et al.

(10) **Patent No.: US D438,900 S**
(45) **Date of Patent: ** Mar. 13, 2001**

(54) **ALARM WITH PERPETUAL CALENDAR SUITABLE FOR TRAVELER**

(75) Inventors: **William H. K. Chu; Min-Hua Lin,**
both of Taipei (TW)

(73) Assignee: **Limax Electronics Co., Ltd., Taipei**
(TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/119,867**

(22) Filed: **Mar. 10, 2000**

(51) **LOC (7) Cl. 19-03**

(52) **U.S. Cl. D19/21; D18/2; D19/25;**
D10/2; D10/3; D10/15; D10/18

(58) **Field of Search D3/292, 900; D18/2,**
D18/6, 7; D19/20, 21, 25; D10/2, 3, 15,
18; D14/100-113; 434/304; 283/2; 40/107-122;
368/10, 11, 12, 21, 28-30, 46, 276-285,
82-84, 239-242; 235/61 R

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 100,237	*	6/1936	Wege	D3/900
D. 165,324	*	12/1951	Chase	D19/21
D. 190,707	*	6/1961	Salm	D19/21
D. 307,829	*	5/1990	Hasuike	D3/292
D. 356,105	*	3/1995	Miyahara et al.	D18/7
D. 427,629	*	7/2000	Chu et al.	D19/21
3,827,168	*	8/1974	Mori	40/110

* cited by examiner

Primary Examiner—Martie K. Holtje

(74) *Attorney, Agent, or Firm*—Bacon & Thomas, PLLC

(57) **CLAIM**

The ornamental design for the alarm with perpetual calendar suitable for traveler, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the alarm with perpetual calendar suitable for traveler in a closed state, showing the new design;

FIG. 2 is a front view of the alarm with perpetual calendar suitable for traveler in a closed state;

FIG. 3 is a rear view of the alarm with perpetual calendar suitable for traveler in a closed state;

FIG. 4 is a left side view of the alarm with perpetual calendar suitable for traveler in a closed state;

FIG. 5 is a right side view of the alarm with perpetual calendar suitable for traveler in a closed state;

FIG. 6 is a top view of the alarm with perpetual calendar suitable for traveler in a closed state;

FIG. 7 is a bottom view of the alarm with perpetual calendar suitable for traveler in a closed state;

FIG. 8 is a perspective view of the alarm with perpetual calendar suitable for traveler in an opened state;

FIG. 9 is a front view of the alarm with perpetual calendar suitable for traveler in an opened state;

FIG. 10 is a rear view of the alarm with perpetual calendar suitable for traveler in an opened state;


FIG. 11 is a left side view of the alarm with perpetual calendar suitable for traveler in an opened state;

FIG. 12 is a right side view of the alarm with perpetual calendar suitable for traveler in an opened state;

FIG. 13 is a top view of the alarm with perpetual calendar suitable for traveler in an opened state; and,

FIG. 14 is a bottom view of the alarm with perpetual calendar suitable for traveler in an opened state.

1 Claim, 9 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14