



US00D439026S

(12) **United States Design Patent** (10) **Patent No.:** **US D439,026 S**
Reilly (45) **Date of Patent:** **** Mar. 20, 2001**

(54) **SEAT BELT CLIP**

(76) Inventor: **William Reilly**, 55, Benton Street,
Brampton, Ontario (CA), L6W 3B8

(**) Term: **14 Years**

(21) Appl. No.: **29/116,992**

(22) Filed: **Jan. 14, 2000**

(51) **LOC (7) Cl.** **02-07**

(52) **U.S. Cl.** **D2/639**

(58) **Field of Search** D11/200-220,
D11/231; D2/639, 640; 24/163 K, 163 R,
3.11, 3.12, 169, 168; 297/482; D8/383,
382, 395

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 360,168 * 7/1995 Kelleghan D11/216
D. 374,327 * 10/1996 Marguerie D2/639
D. 381,891 * 8/1997 Anscher D8/383

D. 408,961 * 5/1999 Myers D2/639
5,410,780 * 5/1995 Silagy 24/168

* cited by examiner

Primary Examiner—Louis S. Zarfas

Assistant Examiner—Catherine R Oliver

(74) *Attorney, Agent, or Firm*—Ridout & Maybee

(57) **CLAIM**

The ornamental design for a seat belt clip, as shown and described.

DESCRIPTION

FIG. 1 is a view from in front, above and one side of a seat belt clip showing my new design;

FIG. 2 is a view thereof from in front;


FIG. 3 is a view from one side, the other side being a mirror image thereof;

FIG. 4 is a view thereof from above; and

FIG. 5 is a view thereof from below; and,

FIG. 6 is a view thereof from behind.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6