



US00D439191S

(12) **United States Design Patent**
Wolf

(10) **Patent No.:** **US D439,191 S**

(45) **Date of Patent:** **** Mar. 20, 2001**

(54) **RING**

(76) Inventor: **Steven J. Wolf**, 161 E. 79th St., New York, NY (US) 10021

(**) Term: **14 Years**

(21) Appl. No.: **29/119,819**

(22) Filed: **Mar. 8, 2000**

(51) **LOC (7) Cl.** **11-01**

(52) **U.S. Cl.** **D11/26; D11/36**

(58) **Field of Search** **D11/26-39, 57-58, D11/91-92, 95-96; 63/15, 15.1-15.9, 26-28, 35, 3**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 80,788	*	3/1930	Cash	D11/34
D. 80,898		4/1930	Kaufman	.	
D. 104,926	*	6/1937	Kiepe	D11/36
D. 107,650	*	12/1937	Kiepe	D11/92
D. 111,975	*	11/1938	Klecka	D11/36
D. 119,860	*	4/1940	Karr	D11/36
D. 132,928	*	6/1942	Syman	D11/36
D. 152,468	*	1/1949	Gaertner	D11/36
D. 171,455	*	2/1954	Manne	D11/92
D. 189,426	*	12/1960	Axel	D11/36
D. 195,050	*	4/1963	Marcks	D11/39
D. 273,666		5/1984	Hayashi	.	
D. 275,660		9/1984	Carroll	.	
D. 332,235	*	1/1993	Bonchek	D11/35
D. 337,741		7/1993	Garfalo	.	
D. 374,193	*	10/1996	Doustorian	D11/34
D. 374,410	*	10/1996	Tanory, Jr.	D11/34
D. 386,443		11/1997	Itzkowitz	.	
D. 387,302		12/1997	Itzkowitz	.	
D. 388,015		12/1997	Itzkowitz	.	
D. 388,016		12/1997	Kejajian	.	
D. 388,017		12/1997	Kejajian	.	
D. 403,611		1/1999	Lai	.	
D. 405,383	*	2/1999	Dickhaut	D11/26
D. 411,134		6/1999	Lai	.	
D. 421,404	*	3/2000	Canale	D11/26

D. 425,817	*	5/2000	Gurevich et al.	D11/91
554,870		2/1896	Heppding	.	
2,150,446	*	3/1939	Karlan	D11/36
2,207,869		7/1940	Monnier	.	
2,472,893	*	6/1949	Gerson	63/15.3
2,522,954	*	9/1950	Manne	63/15.2
2,733,579		2/1956	Pfeffer et al.	.	
2,775,878	*	1/1957	Eichhorn	63/15.2
2,907,187		10/1959	Karp et al.	.	

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

1 120 076 6/1956 (FR) .

OTHER PUBLICATIONS

Advertisement, Chains Catalog, p. 51, 1991, 1992.

Primary Examiner—Cathy Anne MacCormac

(74) *Attorney, Agent, or Firm*—Akin, Gump, Strauss, Hauer & Feld, L.L.P.



(57) **CLAIM**

The ornamental design for a ring, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a ring in accordance with a first embodiment of my design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a left side elevational view thereof, the right side elevational view being the same;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a perspective view of a ring in accordance with a second embodiment of my design;
 FIG. 7 is a front elevational view thereof;
 FIG. 8 is a left side elevational view thereof, the right side elevational view being the same;
 FIG. 9 is a top plan view thereof; and,
 FIG. 10 is a bottom plan view thereof.
 The broken lines are for purposes of illustration only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D439,191 S

Page 2

U.S. PATENT DOCUMENTS

3,014,354	12/1961	McCary .	5,664,440	*	9/1997	Roemer	63/15
5,072,601	12/1991	Slowinski .	5,671,613		9/1997	Hoover et al. .	
5,123,265	6/1992	Ramot .	5,848,539		12/1998	Ouzounian .	
5,520,017	5/1996	Vivat .	6,003,335		12/1999	Gurevich et al. .	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10