

(12) United States Design Patent (10) Patent No.: US D439,205 S ****** Mar. 20, 2001 (45) **Date of Patent:** Leutz

(57)

- SURFACE CONFIGURATION OF A VEHICLE (54)**AND/OR TOY**
- Volker Leutz, Grafenau (DE) (75)Inventor:
- Assignee: Micro Compact Car smart GmbH, (73)Renningen (DE)
- 14 Years (**) Term:

CLAIM

The ornamental design for a surface configuration of a vehicle and/or toy, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a surface configuration of a vehicle and/or toy according to my novel design; FIG. 2 is a front, left perspective view of the surface configuration of a vehicle and/or toy according to my novel design;

Appl. No.: 29/119,872 (21)

Mar. 10, 2000 Filed: (22)

(30)Foreign Application Priority Data

Sep. 10, 1999 (DE) 499 08 369

LOC (7) Cl. 12-08 (51) (52)(58)296/185

References Cited (56)

U.S. PATENT DOCUMENTS

D. 405,390	*	2/1999	Castiglione et al	D12/92
D. 406,499	*	3/1999	Fisker	D12/92
D. 415,719	*	10/1999	Sawar et al	D12/92

* cited by examiner

Primary Examiner—Melody N. Brown (74) Attorney, Agent, or Firm-Evenson, McKeown, FIG. 3 is a front, right perspective view of the surface configuration of a vehicle and/or toy according to my novel design;

FIG. 4 is a left side view of the surface configuration of a vehicle and/or toy according to my novel design;

FIG. 5 is a right side view of the surface configuration of a vehicle and/or toy according to my novel design;

FIG. 6 is a rear, left perspective view of the surface configuration of vehicle and/or toy according to my novel design;

FIG. 7 is a rear, right perspective view of the surface configuration of a vehicle and/or toy according to my novel design; and,

FIG. 8 is a rear view of the surface configuration of a vehicle and/or toy according to my novel design.

The broken lines included depict environment and are not part of the claimed design.





U.S. Patent Mar. 20, 2001 Sheet 1 of 6 US D439,205 S





U.S. Patent US D439,205 S Mar. 20, 2001 Sheet 2 of 6



M 9 L

U.S. Patent Mar. 20, 2001 Sheet 3 of 6 US D439,205 S



F S S

U.S. Patent Mar. 20, 2001 Sheet 4 of 6 US D439,205 S





U.S. Patent Mar. 20, 2001 Sheet 5 of 6 US D439,205 S



U.S. Patent US D439,205 S Mar. 20, 2001 Sheet 6 of 6

