

US00D439217S

(12) United States Design Patent (10) Patent No.:

US D439,217 S Melnicoff ** Mar. 20, 2001 (45) Date of Patent:

BATTERY PACK

Inventor: Jared B. Melnicoff, Chicago, IL (US)

Assignee: Enity Technology Limited, Chaiwan

(HK)

14 Years Term:

Appl. No.: 29/121,645

Apr. 12, 2000 Filed:

(51)

U.S. Cl. D13/103 (52)

(58)429/96–100, 159, 163, 176

(56)**References Cited**

U.S. PATENT DOCUMENTS

D. 362,4	24 *	9/1995	Sumita et al	D13/103
D. 414,1	60 *	9/1999	Yamane et al	D13/103
D. 417,1	87 *	11/1999	Maeyama	D13/103
D. 425,4	79 *	5/2000	Melnicoff	D13/103
D. 428,3	84 *	7/2000	Maeyama	D13/103

^{*} cited by examiner

Primary Examiner—Joel Sincavage

(74) Attorney, Agent, or Firm—Liniak, Berenato, Longacre & White

(57)**CLAIM**

The ornamental design for a battery pack, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the battery pack according to the present invention.

FIG. 2 is a rear view of the battery pack of FIG. 1 according to the present invention.

FIG. 3 is a top view of the battery pack of FIG. 1 according to the present invention.

FIG. 4 is a bottom view of the battery pack of FIG. 1 according to the present invention.

FIG. 5 is a left side view of the battery pack of FIG. 1 according to the present invention.

FIG. 6 is a right side view of the battery pack of FIG. 1 according to the present invention.

FIG. 7 is a front perspective view of the battery pack of FIG. 1 according to the present invention; and,

FIG. 8 is a front perspective view of an alternative embodiment of the present inventon identical to the embodiment of FIG. 1 having a portion of increased thickness.

1 Claim, 2 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

