



US00D439267S

(12) **United States Design Patent**  
**Hussey**

(10) **Patent No.:** **US D439,267 S**

(45) **Date of Patent:** **\*\* Mar. 20, 2001**

(54) **GOGGLES**

6,009,564 \* 1/2000 Tackles et al. .... 2/436

(76) Inventor: **Patrick Hussey**, 1219 Camino Del Mar,  
Del Mar, CA (US) 92014

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Raphael Barkai

(21) Appl. No.: **29/118,385**

(74) *Attorney, Agent, or Firm*—Donn K. Harms

(22) Filed: **Feb. 7, 2000**

(57) **CLAIM**

The ornamental design for goggles, as shown and described.

(51) **LOC (7) Cl.** ..... **16-05**

**DESCRIPTION**

(52) **U.S. Cl.** ..... **D16/312**

FIG. 1 is a perspective view of an ornamental design for goggles;

(58) **Field of Search** ..... D16/101, 300–330;

FIG. 2 is a top view thereof;

D29/109, 110; 351/41, 44, 51, 52, 158;

FIG. 3 is a front view thereof;

2/426–432, 434–437, 447

FIG. 4 is a perspective rear bottom view;

(56) **References Cited**

FIG. 5 is right side view thereof; and,

**U.S. PATENT DOCUMENTS**

FIG. 6 is a left side view thereof opposite the right side view.

D. 403,689 \* 1/1999 Mage ..... D16/312

The broken line shown in FIGS. 1–6 at the end of the strap

D. 405,102 \* 2/1999 Moritz et al. .... D16/312


which define the bounds of the claimed design form no part

D. 408,431 \* 4/1999 Simioni ..... D16/312

thereof.

D. 413,915 \* 9/1999 Newcomb et al. .... D16/312

**1 Claim, 2 Drawing Sheets**






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6