



US00D439392S

(12) **United States Design Patent**
Kauffman et al.

(10) **Patent No.:** **US D439,392 S**

(45) **Date of Patent:** **** *Mar. 27, 2001**

(54) **3-SECTION FILLED FOOD PRODUCT**

(75) Inventors: **Hillis Kauffman; Decai Zhang; Michael N. Bauman; Doyle Tankersley; Nancy Esterline**, all of Battle Creek, MI (US); **Gerry I. Johnson**, Newmarket (CA)

(73) Assignee: **Kellogg Company**, Battle Creek, MI (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/094,778**

(22) Filed: **Oct. 9, 1998**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/091,167, filed on Aug. 3, 1998.

(51) **LOC (7) Cl.** **01-01**

(52) **U.S. Cl.** **D1/121; D1/128**

(58) **Field of Search** **D1/120, 121, 125, D1/128-130; 426/89, 94, 96, 103; 425/403**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 90,688 * 9/1933 Sherrill D1/121
D. 99,994 * 6/1936 Brooks D1/121

(List continued on next page.)

OTHER PUBLICATIONS

Hershey's 1934 Cookbook, Smithmark Publishers Inc., New York, NY., chocolate cream eclairs shown on p. 70, 1993.*

Primary Examiner—Marcus A. Jackson
Assistant Examiner—Linda Brooks
(74) *Attorney, Agent, or Firm*—Howard & Howard



(57) **CLAIM**

The ornamental design for a 3-section filled food product, as shown and described.

DESCRIPTION

FIG. 1 is as perspective view of an embodiment of the 3-section filled food product.
FIG. 2 is a front view of the 3-section filled food product of FIG. 1.
FIG. 3 is a left view of the 3-section filled food product of FIG. 2.
FIG. 4 is a back view of the 3-section filled food product shown in FIG. 2.
FIG. 5 is a right view of the 3-section filled food product shown in FIG. 2.
FIG. 6 is a top end view of the 3-section filled food product shown in FIG. 2.
FIG. 7 is a bottom end view of the 3-section filled food product shown in FIG. 2.
FIG. 8 is a plan view of an alternative embodiment of the 3-section filled food product of FIG. 1. In this embodiment, frosting is deposited on the top surface of the 3-section filled product.
FIG. 9 is a right side view of the embodiment of FIG. 8.
FIG. 10 is a left side view of the embodiment of FIG. 8.
FIG. 11 is a top end view of the embodiment of FIG. 8.
FIG. 12 is a bottom end view of the embodiment of FIG. 8.
FIG. 13 is a plan view of a further embodiment of the 3-section filled food product of FIG. 1. In this embodiment, a coarse granular edible topping, is deposited on the top surface of the 3-section filled food product.
FIG. 14 is a right side view of the embodiment of FIG. 13.
FIG. 15 is a left side view of the embodiment of FIG. 13.
FIG. 16 is a top end view of the embodiment of FIG. 13.
FIG. 17 is a bottom end view of the embodiment of FIG. 13.
FIG. 18 is a plan view of an alternative embodiment of the 3-section filled food product of FIG. 1 having a fine granular topping, applied to the top surface thereof.
FIG. 19 is a right side view of the embodiment of FIG. 18.
FIG. 20 is a left side view of the embodiment of FIG. 18.
FIG. 21 is a top end view of the embodiment of FIG. 18; and, FIG. 22 is bottom end view of the embodiment of FIG. 18.
The back view of embodiments 2, 3, and 4 is identical to the back view of embodiment 1.

1 Claim, 5 Drawing Sheets



US D439,392 S

Page 2

U.S. PATENT DOCUMENTS

D. 148,602	*	2/1948	Bemis	D1/129	D. 404,887	*	2/1999	Prins	D1/129
D. 231,417	*	4/1974	Maiola	D1/128	D. 408,960	*	5/1999	Kauffman et al.	D1/125
D. 266,030	*	9/1982	Madonia	D1/129	2,246,770	*	6/1941	Wessel	426/87

* cited by examiner

FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12



FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21



FIG. 22

